

LibTomCrypt  
Version 1.07

Tom St Denis

[tomstdenis@gmail.com](mailto:tomstdenis@gmail.com)  
<http://libtomcrypt.org>

November 18, 2005

This text and source code library are both hereby placed in the public domain. This book has been formatted for A4 paper using the *L<sup>A</sup>T<sub>E</sub>X book* macro package.

Open Source. Open Academia. Open Minds.

Tom St Denis,  
Phone: 1-613-836-3160  
111 Banning Rd  
Kanata, Ontario  
K2L 1C3  
Canada

# Contents

<b>1</b>	<b>Introduction</b>	<b>9</b>
1.1	What is the LibTomCrypt? . . . . .	9
1.1.1	What the library IS for? . . . . .	9
1.2	Why did I write it? . . . . .	9
1.2.1	Modular . . . . .	10
1.3	License . . . . .	11
1.4	Patent Disclosure . . . . .	11
1.5	Thanks . . . . .	11
<b>2</b>	<b>The Application Programming Interface (API)</b>	<b>13</b>
2.1	Introduction . . . . .	13
2.2	Macros . . . . .	14
2.3	Functions with Variable Length Output . . . . .	14
2.4	Functions that need a PRNG . . . . .	15
2.5	Functions that use Arrays of Octets . . . . .	15
<b>3</b>	<b>Symmetric Block Ciphers</b>	<b>17</b>
3.1	Core Functions . . . . .	17
3.1.1	Key Scheduling . . . . .	17
3.1.2	ECB Encryption and Decryption . . . . .	17
3.1.3	Self-Testing . . . . .	18
3.1.4	Key Sizing . . . . .	18
3.1.5	Cipher Termination . . . . .	19
3.1.6	Simple Encryption Demonstration . . . . .	19
3.2	Key Sizes and Number of Rounds . . . . .	20
3.3	The Cipher Descriptors . . . . .	20
3.3.1	Notes . . . . .	21
3.4	Symmetric Modes of Operations . . . . .	23
3.4.1	Background . . . . .	23
3.4.2	Choice of Mode . . . . .	25
3.4.3	Initialization . . . . .	25
3.4.4	Encryption and Decryption . . . . .	26
3.4.5	IV Manipulation . . . . .	26
3.4.6	Stream Termination . . . . .	27
3.4.7	Examples . . . . .	27
3.5	Encrypt and Authenticate Modes . . . . .	29
3.5.1	EAX Mode . . . . .	29
3.5.2	OCB Mode . . . . .	32

3.5.3	CCM Mode . . . . .	34
3.5.4	GCM Mode . . . . .	35
<b>4</b>	<b>One-Way Cryptographic Hash Functions</b>	<b>39</b>
4.1	Core Functions . . . . .	39
4.2	Hash Descriptors . . . . .	40
4.3	Cipher Hash Construction . . . . .	43
4.4	Notice . . . . .	44
<b>5</b>	<b>Message Authentication Codes</b>	<b>45</b>
5.1	HMAC Protocol . . . . .	45
5.2	OMAC Support . . . . .	47
5.3	PMAC Support . . . . .	49
5.4	Pelican MAC . . . . .	51
5.4.1	Example . . . . .	51
<b>6</b>	<b>Pseudo-Random Number Generators</b>	<b>53</b>
6.1	Core Functions . . . . .	53
6.1.1	Remarks . . . . .	54
6.1.2	Example . . . . .	55
6.2	PRNG Descriptors . . . . .	55
6.2.1	PRNGs Provided . . . . .	56
6.3	The Secure RNG . . . . .	58
6.3.1	The Secure PRNG Interface . . . . .	59
<b>7</b>	<b>RSA Public Key Cryptography</b>	<b>61</b>
7.1	Introduction . . . . .	61
7.2	PKCS #1 Encryption . . . . .	61
7.2.1	OAEP Encoding . . . . .	61
7.2.2	OAEP Decoding . . . . .	62
7.3	PKCS #1 Digital Signatures . . . . .	62
7.3.1	PSS Encoding . . . . .	62
7.3.2	PSS Decoding . . . . .	63
7.4	RSA Operations . . . . .	63
7.4.1	Background . . . . .	63
7.4.2	RSA Key Generation . . . . .	64
7.4.3	RSA Exponentiation . . . . .	64
7.4.4	RSA Key Encryption . . . . .	65
7.4.5	RSA Hash Signatures . . . . .	65
7.4.6	RSA Key Export . . . . .	67
7.4.7	RSA Key Import . . . . .	67
<b>8</b>	<b>Elliptic Curve Cryptography</b>	<b>69</b>
8.1	Background . . . . .	69
8.2	Key Format . . . . .	69
8.3	Core Functions . . . . .	70
8.3.1	ECC Key Generation . . . . .	70
8.3.2	ECC Key Export . . . . .	70
8.3.3	ECC Key Import . . . . .	70
8.3.4	ECC Shared Secret . . . . .	71

8.4	ECC Diffie-Hellman Encryption . . . . .	71
8.4.1	Encrypt Encryption Format . . . . .	71
8.5	ECC DSA Signatures . . . . .	72
8.5.1	Signature Format . . . . .	72
8.6	ECC Keysizes . . . . .	72
<b>9</b>	<b>Digital Signature Algorithm</b>	<b>73</b>
9.1	Introduction . . . . .	73
9.2	Key Format . . . . .	73
9.3	Key Generation . . . . .	74
9.4	Key Verification . . . . .	74
9.5	Signatures . . . . .	75
9.5.1	Signature Generation . . . . .	75
9.5.2	Signature Verification . . . . .	76
9.6	DSA Encrypt and Decrypt . . . . .	76
9.6.1	DSA Encryption . . . . .	76
9.6.2	DSA Decryption . . . . .	76
9.7	Import and Export . . . . .	76
<b>10</b>	<b>Standards Support</b>	<b>79</b>
10.1	ASN.1 Formats . . . . .	79
10.1.1	SEQUENCE Type . . . . .	80
10.1.2	ASN.1 INTEGER . . . . .	82
10.1.3	ASN.1 BIT STRING . . . . .	82
10.1.4	ASN.1 OCTET STRING . . . . .	83
10.1.5	ASN.1 OBJECT IDENTIFIER . . . . .	83
10.1.6	ASN.1 IA5 STRING . . . . .	83
10.1.7	ASN.1 PRINTABLE STRING . . . . .	84
10.1.8	ASN.1 UTCTIME . . . . .	84
10.1.9	ASN.1 CHOICE . . . . .	85
10.1.10	ASN.1 Flexi Decoder . . . . .	85
10.2	Password Based Cryptography . . . . .	86
10.2.1	PKCS #5 . . . . .	86
10.2.2	Algorithm One . . . . .	86
10.2.3	Algorithm Two . . . . .	87
<b>11</b>	<b>Miscellaneous</b>	<b>89</b>
11.1	Base64 Encoding and Decoding . . . . .	89
11.2	Primality Testing . . . . .	89
<b>12</b>	<b>Programming Guidelines</b>	<b>91</b>
12.1	Secure Pseudo Random Number Generators . . . . .	91
12.2	Preventing Trivial Errors . . . . .	91
12.3	Registering Your Algorithms . . . . .	91
12.4	Key Sizes . . . . .	92
12.4.1	Symmetric Ciphers . . . . .	92
12.4.2	Assymmetric Ciphers . . . . .	92
12.5	Thread Safety . . . . .	93

<b>13 Configuring and Building the Library</b>	<b>95</b>
13.1 Introduction . . . . .	95
13.2 Makefile variables . . . . .	95
13.2.1 MAKE, CC and AR . . . . .	95
13.2.2 IGNORE_SPEED . . . . .	96
13.2.3 LIBNAME and LIBNAME_S . . . . .	96
13.2.4 Installation Directories . . . . .	96
13.3 Extra libraries . . . . .	97
13.4 Building a Static Library . . . . .	97
13.5 Building a Shared Library . . . . .	98
13.6 <code>tomcrypt_cfg.h</code> . . . . .	98
13.7 The Configure Script . . . . .	99
13.7.1 X memory routines . . . . .	99
13.7.2 X clock routines . . . . .	99
13.7.3 NO_FILE . . . . .	99
13.7.4 CLEAN_STACK . . . . .	99
13.7.5 LTC_TEST . . . . .	99
13.7.6 Symmetric Ciphers, One-way Hashes, PRNGS and Public Key Functions . . . . .	99
13.7.7 TWOFISH_SMALL and TWOFISH_TABLES . . . . .	100
13.7.8 GCM_TABLES . . . . .	100
13.7.9 SMALL_CODE . . . . .	100
13.7.10 LTC_FAST . . . . .	100
13.7.11 LTC_PTHREAD . . . . .	101
13.7.12 LTC_ECC_TIMING_RESISTANT . . . . .	101
13.7.13 Math Descriptors . . . . .	101
<b>14 Optimizations</b>	<b>103</b>
14.1 Introduction . . . . .	103
14.2 Ciphers . . . . .	103
14.2.1 Name . . . . .	106
14.2.2 Internal ID . . . . .	107
14.2.3 Key Lengths . . . . .	107
14.2.4 Block Length . . . . .	107
14.2.5 Rounds . . . . .	107
14.2.6 Setup . . . . .	107
14.2.7 Single block ECB . . . . .	107
14.2.8 Testing . . . . .	107
14.2.9 Key Sizing . . . . .	107
14.2.10 Acceleration . . . . .	108
14.3 One-Way Hashes . . . . .	109
14.3.1 Name . . . . .	110
14.3.2 Internal ID . . . . .	110
14.3.3 Digest Size . . . . .	110
14.3.4 Block Size . . . . .	110
14.3.5 OID Identifier . . . . .	110
14.3.6 Initialization . . . . .	110
14.3.7 Process . . . . .	110
14.3.8 Done . . . . .	110
14.3.9 Acceleration . . . . .	111

14.3.10 HMAC Acceleration . . . . .	111
14.4 Pseudo-Random Number Generators . . . . .	111
14.4.1 Name . . . . .	112
14.4.2 Export Size . . . . .	112
14.4.3 Start . . . . .	112
14.4.4 Entropy Addition . . . . .	112
14.4.5 Ready . . . . .	112
14.4.6 Read . . . . .	112
14.4.7 Done . . . . .	112
14.4.8 Exporting and Importing . . . . .	113
14.5 BigNum Math Descriptors . . . . .	113
14.5.1 Conventions . . . . .	120
14.5.2 ECC Functions . . . . .	120
14.5.3 RSA Functions . . . . .	121



# Chapter 1

## Introduction

### 1.1 What is the LibTomCrypt?

LibTomCrypt is a portable ISO C cryptographic library that is meant to be a toolset for cryptographers who are designing a cryptosystem. It supports symmetric ciphers, one-way hashes, pseudo-random number generators, public key cryptography (via PKCS #1 RSA, DH or ECCDH) and a plethora of support routines.

The library was designed such that new ciphers/hashes/PRNGs can be added at runtime and the existing API (and helper API functions) are able to use the new designs automatically. There exists self-check functions for each block cipher and hash function to ensure that they compile and execute to the published design specifications. The library also performs extensive parameter error checking to prevent any number of runtime exploits or errors.

#### 1.1.1 What the library IS for?

The library serves as a toolkit for developers who have to solve cryptographic problems. Out of the box LibTomCrypt does not process SSL or OpenPGP messages, it doesn't read x.591 certificates or write PEM encoded data. It does, however, provide all of the tools required to build such functionality. LibTomCrypt was designed to be a flexible library that was not tied to any particular cryptographic problem.

### 1.2 Why did I write it?

You may be wondering, "Tom, why did you write a crypto library. I already have one.". Well the reason falls into two categories:

1. I am too lazy to figure out someone else's API. I'd rather invent my own simpler API and use that.
2. It was (still is) good coding practice.

The idea is that I am not striving to replace OpenSSL or Crypto++ or Cryptlib or etc. I'm trying to write my **own** crypto library and hopefully along the way others will appreciate the work.

With this library all core functions (ciphers, hashes, prngs) have the **exact** same prototype definition. They all load and store data in a format independent of the platform. This means if you encrypt with Blowfish on a PPC it should decrypt on an x86 with zero problems. The consistent API also means that if you learn how to use Blowfish with my library you know how to use Safer+ or RC6 or Serpent or ... as well. With all of the core functions there are central descriptor tables that can be used to make a program automatically pick between ciphers, hashes and PRNGs at runtime. That means your application can support all ciphers/\_hashes/prngs without changing the source code.

Not only did I strive to make a consistent and simple API to work with but I also strived to make the library configurable in terms of its build options. Out of the box the library will build with any modern version of GCC without having to use configure scripts. This means that the library will work with platforms where development tools may be limited (e.g. no autoconf).

On top of making the build simple and the API approachable I've also strived for a reasonably high level of robustness and efficiency. LibTomCrypt traps and returns a series of errors ranging from invalid arguments to buffer overflows/overruns. It is mostly thread safe and has been clocked on various platforms with “cycles per byte” timings that are comparable (and often favourable) to other libraries such as OpenSSL and Crypto++.

### 1.2.1 Modular

The LibTomCrypt package has also been written to be very modular. The block ciphers, one-way hashes and pseudo-random number generators (PRNG) are all used within the API through “descriptor” tables which are essentially structures with pointers to functions. While you can still call particular functions directly (e.g. `sha256_process()`) this descriptor interface allows the developer to customize their usage of the library.

For example, consider a hardware platform with a specialized RNG device. Obviously one would like to tap that for the PRNG needs within the library (e.g. *making a RSA key*). All the developer has to do is write a descriptor and the few support routines required for the device. After that the rest of the API can make use of it without change. Similiarly imagine a few years down the road when AES2 (*or whatever they call it*) has been invented. It can be added to the library and used within applications with zero modifications to the end applications provided they are written properly.

This flexibility within the library means it can be used with any combination of primitive algorithms and unlike libraries like OpenSSL is not tied to direct routines. For instance, in OpenSSL there are CBC block mode routines for every single cipher. That means every time you add or remove a cipher from the library you have to update the associated support code as well. In LibTomCrypt the associated code (*chaining modes in this case*) are not directly tied to the ciphers. That is a new cipher can be added to the library by simply providing the key setup, ECB decrypt and encrypt and test vector routines. After that all five chaining mode routines can make use of the cipher right away.

### 1.3 License

All of the source code except for the following files have been written by the author or donated to the project under a public domain license:

1. `rc2.c`

‘mpi.c’ was originally written by Michael Fromberger ([sting@linguist.dartmouth.edu](mailto:sting@linguist.dartmouth.edu)) but has since been replaced with my LibTomMath library which is public domain.

“rc2.c” is based on publicly available code that is not attributed to a person from the given source.

The project is hereby released as public domain.

### 1.4 Patent Disclosure

The author (Tom St Denis) is not a patent lawyer so this section is not to be treated as legal advice. To the best of the authors knowledge the only patent related issues within the library are the RC5 and RC6 symmetric block ciphers. They can be removed from a build by simply commenting out the two appropriate lines in “tomcrypt\_custom.h”. The rest of the ciphers and hashes are patent free or under patents that have since expired.

The RC2 and RC4 symmetric ciphers are not under patents but are under trademark regulations. This means you can use the ciphers you just can’t advertise that you are doing so.

### 1.5 Thanks

I would like to give thanks to the following people (in no particular order) for helping me develop this project from early on:

1. Richard van de Laarschot
2. Richard Heathfield
3. Ajay K. Agrawal
4. Brian Gladman
5. Svante Seleborg
6. Clay Culver
7. Jason Klapste
8. Dobes Vandermeer
9. Daniel Richards
10. Wayne Scott
11. Andrew Tyler
12. Sky Schulz

## 13. Christopher Imes

There have been quite a few other people as well. Please check the change log to see who else has contributed from time to time.

## Chapter 2

# The Application Programming Interface (API)

### 2.1 Introduction

In general the API is very simple to memorize and use. Most of the functions return either **void** or **int**. Functions that return **int** will return **CRYPT\_OK** if the function was successful or one of the many error codes if it failed. Certain functions that return **int** will return **-1** to indicate an error. These functions will be explicitly commented upon. When a function does return a **CRYPT** error code it can be translated into a string with

```
const char *error_to_string(int err);
```

An example of handling an error is:

```
void somefunc(void)
{
    int err;

    /* call a cryptographic function */
    if ((err = some_crypto_function(...)) != CRYPT_OK) {
        printf("A crypto error occurred, %s\n", error_to_string(err));
        /* perform error handling */
    }
    /* continue on if no error occurred */
}
```

There is no initialization routine for the library and for the most part the code is thread safe. The only thread related issue is if you use the same symmetric cipher, hash or public key state data in multiple threads. Normally that is not an issue.

To include the prototypes for “LibTomCrypt.a” into your own program simply include “tomcrypt.h” like so:

```
#include <tomcrypt.h>
int main(void) {
    return 0;
}
```

The header file “tomcrypt.h” also includes “stdio.h”, “string.h”, “stdlib.h”, “time.h” and “ctype.h”.

## 2.2 Macros

There are a few helper macros to make the coding process a bit easier. The first set are related to loading and storing 32/64-bit words in little/big endian format. The macros are:

STORE32L(x, y)	unsigned long x, unsigned char *y	$x \rightarrow y[0 \dots 3]$
STORE64L(x, y)	unsigned long long x, unsigned char *y	$x \rightarrow y[0 \dots 7]$
LOAD32L(x, y)	unsigned long x, unsigned char *y	$y[0 \dots 3] \rightarrow x$
LOAD64L(x, y)	unsigned long long x, unsigned char *y	$y[0 \dots 7] \rightarrow x$
STORE32H(x, y)	unsigned long x, unsigned char *y	$x \rightarrow y[3 \dots 0]$
STORE64H(x, y)	unsigned long long x, unsigned char *y	$x \rightarrow y[7 \dots 0]$
LOAD32H(x, y)	unsigned long x, unsigned char *y	$y[3 \dots 0] \rightarrow x$
LOAD64H(x, y)	unsigned long long x, unsigned char *y	$y[7 \dots 0] \rightarrow x$
BSWAP(x)	unsigned long x	Swaps byte order (32-bits only)

There are 32 and 64-bit cyclic rotations as well:

ROL(x, y)	unsigned long x, unsigned long y	$x << y, 0 \leq y \leq 31$
ROLc(x, y)	unsigned long x, const unsigned long y	$x << y, 0 \leq y \leq 31$
ROR(x, y)	unsigned long x, unsigned long y	$x >> y, 0 \leq y \leq 31$
RORc(x, y)	unsigned long x, const unsigned long y	$x >> y, 0 \leq y \leq 31$
ROL64(x, y)	unsigned long x, unsigned long y	$x << y, 0 \leq y \leq 63$
ROL64c(x, y)	unsigned long x, const unsigned long y	$x << y, 0 \leq y \leq 63$
ROR64(x, y)	unsigned long x, unsigned long y	$x >> y, 0 \leq y \leq 63$
ROR64c(x, y)	unsigned long x, const unsigned long y	$x >> y, 0 \leq y \leq 63$

## 2.3 Functions with Variable Length Output

Certain functions such as (for example) “rsa\_export()” give an output that is variable length. To prevent buffer overflows you must pass it the length of the buffer<sup>1</sup> where the output will be stored. For example:

```
#include <tomcrypt.h>
int main(void) {
    rsa_key key;
    unsigned char buffer[1024];
    unsigned long x;
```

<sup>1</sup>Extensive error checking is not in place but it will be in future releases so it is a good idea to follow through with these guidelines.

```

int err;

/* ... Make up the RSA key somehow ... */

/* lets export the key, set x to the size of the output buffer */
x = sizeof(buffer);
if ((err = rsa_export(buffer, &x, PK_PUBLIC, &key)) != CRYPT_OK) {
    printf("Export error: %s\n", error_to_string(err));
    return -1;
}

/* if rsa_export() was successful then x will have the size of the output */
printf("RSA exported key takes %d bytes\n", x);

/* ... do something with the buffer */

return 0;
}

```

In the above example if the size of the RSA public key was more than 1024 bytes this function would return an error code indicating a buffer overflow would have occurred. If the function succeeds it stores the length of the output back into “x” so that the calling application will know how many bytes were used.

## 2.4 Functions that need a PRNG

Certain functions such as “rsa\_make\_key()” require a Pseudo Random Number Generator (PRNG). These functions do not setup the PRNG themselves so it is the responsibility of the calling function to initialize the PRNG before calling them.

Certain PRNG algorithms do not require a “prng\_state” argument (sprng for example). The “prng\_state” argument may be passed as **NULL** in such situations.

## 2.5 Functions that use Arrays of Octets

Most functions require inputs that are arrays of the data type “unsigned char”. Whether it is a symmetric key, IV for a chaining mode or public key packet it is assumed that regardless of the actual size of “unsigned char” only the lower eight bits contain data. For example, if you want to pass a 256 bit key to a symmetric ciphers setup routine you must pass it in (a pointer to) an array of 32 “unsigned char” variables. Certain routines (such as SAFER+) take special care to work properly on platforms where an “unsigned char” is not eight bits.

For the purposes of this library the term “byte” will refer to an octet or eight bit word. Typically an array of type “byte” will be synonymous with an array of type “unsigned char”.



# Chapter 3

# Symmetric Block Ciphers

## 3.1 Core Functions

LibTomCrypt provides several block ciphers with an ECB block mode interface. It's important to first note that you should never use the ECB modes directly to encrypt data. Instead you should use the ECB functions to make a chaining mode or use one of the provided chaining modes. All of the ciphers are written as ECB interfaces since it allows the rest of the API to grow in a modular fashion.

### 3.1.1 Key Scheduling

All ciphers store their scheduled keys in a single data type called “symmetric\_key”. This allows all ciphers to have the same prototype and store their keys as naturally as possible. This also removes the need for dynamic memory allocation and allows you to allocate a fixed sized buffer for storing scheduled keys. All ciphers provide five visible functions which are (given that XXX is the name of the cipher):

```
int XXX_setup(const unsigned char *key, int keylen, int rounds,
              symmetric_key *skey);
```

The XXX\_setup() routine will setup the cipher to be used with a given number of rounds and a given key length (in bytes). The number of rounds can be set to zero to use the default, which is generally a good idea.

If the function returns successfully the variable “skey” will have a scheduled key stored in it. It's important to note that you should only used this scheduled key with the intended cipher. For example, if you call “blowfish\_setup()” do not pass the scheduled key onto “rc5\_ecb\_encrypt()”. All setup functions do not allocate memory off the heap so when you are done with a key you can simply discard it (e.g. they can be on the stack).

### 3.1.2 ECB Encryption and Decryption

To encrypt or decrypt a block in ECB mode there are these two function classes

```
int XXX_ecb_encrypt(const unsigned char *pt, unsigned char *ct,
                     symmetric_key *skey);

int XXX_ecb_decrypt(const unsigned char *ct, unsigned char *pt,
                     symmetric_key *skey);
```

These two functions will encrypt or decrypt (respectively) a single block of text<sup>1</sup> and store the result where you want it. It is possible that the input and output buffer are the same buffer. For the encrypt function “pt”<sup>2</sup> is the input and “ct”<sup>3</sup> is the output. For the decryption function it’s the opposite. They both return **CRYPT\_OK** on success. To test a particular cipher against test vectors<sup>4</sup> call the self-test function

### 3.1.3 Self-Testing

```
int XXX_test(void);
```

This function will return **CRYPT\_OK** if the cipher matches the test vectors from the design publication it is based upon.

### 3.1.4 Key Sizing

For each cipher there is a function which will help find a desired key size:

```
int XXX_keysize(int *keysize);
```

Essentially it will round the input keysize in “keysize” down to the next appropriate key size. This function return **CRYPT\_OK** if the key size specified is acceptable. For example:

```
#include <tomcrypt.h>
int main(void)
{
    int keysize, err;

    /* now given a 20 byte key what keysize does Twofish want to use? */
    keysize = 20;
    if ((err = twofish_keysize(&keysize)) != CRYPT_OK) {
        printf("Error getting key size: %s\n", error_to_string(err));
        return -1;
    }
    printf("Twofish suggested a key size of %d\n", keysize);
    return 0;
}
```

This should indicate a keysize of sixteen bytes is suggested.

---

<sup>1</sup>The size of which depends on which cipher you are using.

<sup>2</sup>pt stands for plaintext.

<sup>3</sup>ct stands for ciphertext.

<sup>4</sup>As published in their design papers.

### 3.1.5 Cipher Termination

When you are finished with a cipher you can de-initialize it with the done function.

```
void XXX_done(symmetric_key *skey);
```

For the software based ciphers within LibTomCrypt this function will not do anything. However, user supplied cipher descriptors may require calls to it for resource management. To be compliant all functions which call a cipher setup function must also call the respective cipher done function when finished.

### 3.1.6 Simple Encryption Demonstration

An example snippet that encodes a block with Blowfish in ECB mode is below.

```
#include <tomcrypt.h>
int main(void)
{
    unsigned char pt[8], ct[8], key[8];
    symmetric_key skey;
    int err;

    /* ... key is loaded appropriately in "key" ... */
    /* ... load a block of plaintext in "pt" ... */

    /* schedule the key */
    if ((err = blowfish_setup(key,          /* the key we will use */
                            8,             /* key is 8 bytes (64-bits) long */
                            0,             /* 0 == use default # of rounds */
                            &skey))       /* where to put the scheduled key */
        != CRYPT_OK) {
        printf("Setup error: %s\n", error_to_string(err));
        return -1;
    }

    /* encrypt the block */
    blowfish_ecb_encrypt(pt,                /* encrypt this 8-byte array */
                        ct,              /* store encrypted data here */
                        &skey);         /* our previously scheduled key */

    /* now ct holds the encrypted version of pt */

    /* decrypt the block */
    blowfish_ecb_decrypt(ct,                /* decrypt this 8-byte array */
                        pt,              /* store decrypted data here */
                        &skey);         /* our previously scheduled key */

    /* now we have decrypted ct to the original plaintext in pt */

    /* Terminate the cipher context */
    blowfish_done(&skey);

    return 0;
}
```

## 3.2 Key Sizes and Number of Rounds

As a general rule of thumb do not use symmetric keys under 80 bits if you can. Only a few of the ciphers support smaller keys (mainly for test vectors anyways). Ideally your application should be making at least 256 bit keys. This is not because you're supposed to be paranoid. It's because if your PRNG has a bias of any sort the more bits the better. For example, if you have  $\Pr[X = 1] = \frac{1}{2} \pm \gamma$  where  $|\gamma| > 0$  then the total amount of entropy in  $N$  bits is  $N \cdot -\log_2 \left( \frac{1}{2} + |\gamma| \right)$ . So if  $\gamma$  were 0.25 (a severe bias) a 256-bit string would have about 106 bits of entropy whereas a 128-bit string would have only 53 bits of entropy.

The number of rounds of most ciphers is not an option you can change. Only RC5 allows you to change the number of rounds. By passing zero as the number of rounds all ciphers will use their default number of rounds. Generally the ciphers are configured such that the default number of rounds provide adequate security for the given block and key size.

## 3.3 The Cipher Descriptors

To facilitate automatic routines an array of cipher descriptors is provided in the array “cipher\_descriptor”. An element of this array has the following format:

```
struct _cipher_descriptor {
    char *name;
    unsigned char ID;
    int min_key_length,
        max_key_length,
        block_length,
        default_rounds;
    int (*setup)(const unsigned char *key, int keylen, int num_rounds, symmetric_key *skey);
    int (*ecb_encrypt)(const unsigned char *pt, unsigned char *ct, symmetric_key *skey);
    int (*ecb_decrypt)(const unsigned char *ct, unsigned char *pt, symmetric_key *skey);
    int (*test)(void);
    void (*done)(symmetric_key *skey);
    int (*keysize)(int *keysize);

    int (*accel_ecb_encrypt)(const unsigned char *pt,
                           unsigned char *ct,
                           unsigned long blocks, symmetric_key *skey);
    int (*accel_ecb_decrypt)(const unsigned char *ct,
                           unsigned char *pt,
                           unsigned long blocks, symmetric_key *skey);
    int (*accel_cbc_encrypt)(const unsigned char *pt,
                           unsigned char *ct,
                           unsigned long blocks, unsigned char *IV,
                           symmetric_key *skey);
    int (*accel_cbc_decrypt)(const unsigned char *ct,
                           unsigned char *pt,
                           unsigned long blocks, unsigned char *IV,
                           symmetric_key *skey);
    int (*accel_ctr_encrypt)(const unsigned char *pt,
                           unsigned char *ct,
                           unsigned long blocks, unsigned char *IV,
```

```

        int mode, symmetric_key *skey);
int (*accel_ccm_memory)(
    const unsigned char *key,      unsigned long keylen,
    symmetric_key      *uskey,
    const unsigned char *nonce,    unsigned long noncelen,
    const unsigned char *header,   unsigned long headerlen,
        unsigned char *pt,        unsigned long ptlen,
        unsigned char *ct,
        unsigned char *tag,       unsigned long *taglen,
        int direction);
int (*accel_gcm_memory)(
    const unsigned char *key,      unsigned long keylen,
    const unsigned char *IV,       unsigned long IVlen,
    const unsigned char *adata,    unsigned long adatalen,
        unsigned char *pt,        unsigned long ptlen,
        unsigned char *ct,
        unsigned char *tag,       unsigned long *taglen,
        int direction);
};


```

Where “name” is the lower case ASCII version of the name. The fields “min\_key\_length” and “max\_key\_length” are the minimum and maximum key sizes in bytes. The “block\_length” member is the block size of the cipher in bytes. As a good rule of thumb it is assumed that the cipher supports the min and max key lengths but not always everything in between. The “default\_rounds” field is the default number of rounds that will be used.

The remaining fields are all pointers to the core functions for each cipher. The end of the cipher\_descriptor array is marked when “name” equals **NULL**.

As of this release the current cipher\_descriptors elements are

Name	Descriptor Name	Block Size	Key Range	Rounds
Blowfish	blowfish_desc	8	8 ... 56	16
X-Tea	xtea_desc	8	16	32
RC2	rc2_desc	8	8 ... 128	16
RC5-32/12/b	rc5_desc	8	8 ... 128	12 ... 24
RC6-32/20/b	rc6_desc	16	8 ... 128	20
SAFER+	saferp_desc	16	16, 24, 32	8, 12, 16
AES	aes_desc	16	16, 24, 32	10, 12, 14
	aes_enc_desc	16	16, 24, 32	10, 12, 14
Twofish	twofish_desc	16	16, 24, 32	16
DES	des_desc	8	7	16
3DES (EDE mode)	des3_desc	8	21	16
CAST5 (CAST-128)	cast5_desc	8	5 ... 16	12, 16
Noekeon	noekeon_desc	16	16	16
Skipjack	skipjack_desc	8	10	32
Anubis	anubis_desc	16	16 ... 40	12 ... 18
Khazad	khazad_desc	8	16	8

### 3.3.1 Notes

1. For AES (also known as Rijndael) there are four descriptors which complicate issues a little. The descriptors rijndael\_desc and rijndael\_enc\_desc provide the cipher named “rijndael”. The descriptors aes\_desc and aes\_enc\_desc provide the

cipher name “aes”. Functionally both “rijndael” and “aes” are the same cipher. The only difference is when you call `find_cipher()` you have to pass the correct name. The cipher descriptors with “enc” in the middle (e.g. `rijndael_enc_desc`) are related to an implementation of Rijndael with only the encryption routine and tables. The decryption and self-test function pointers of both “encrypt only” descriptors are set to `NULL` and should not be called.

The “encrypt only” descriptors are useful for applications that only use the encryption function of the cipher. Algorithms such as EAX, PMAC and OMAC only require the encryption function. So far this “encrypt only” functionality has only been implemented for Rijndael as it makes the most sense for this cipher.

2. Note that for “DES” and “3DES” they use 8 and 24 byte keys but only 7 and 21 [respectively] bytes of the keys are in fact used for the purposes of encryption. My suggestion is just to use random 8/24 byte keys instead of trying to make a 8/24 byte string from the real 7/21 byte key.
3. Note that “Twofish” has additional configuration options that take place at build time. These options are found in the file “`tomcrypt_cfg.h`”. The first option is “`TWOFISH_SMALL`” which when defined will force the Twofish code to not pre-compute the Twofish “ $g(X)$ ” function as a set of four  $8 \times 32$  s-boxes. This means that a scheduled key will require less ram but the resulting cipher will be slower. The second option is “`TWOFISH_TABLES`” which when defined will force the Twofish code to use pre-computed tables for the two s-boxes  $q_0, q_1$  as well as the multiplication by the polynomials 5B and EF used in the MDS multiplication. As a result the code is faster and slightly larger. The speed increase is useful when “`TWOFISH_SMALL`” is defined since the s-boxes and MDS multiply form the heart of the Twofish round function.

TWOFISH_SMALL	TWOFISH_TABLES	Speed and Memory (per key)
undefined	undefined	Very fast, 4.2KB of ram.
undefined	defined	Faster keysetup, larger code.
defined	undefined	Very slow, 0.2KB of ram.
defined	defined	Faster, 0.2KB of ram, larger code.

To work with the `cipher_descriptor` array there is a function:

```
int find_cipher(char *name)
```

Which will search for a given name in the array. It returns negative one if the cipher is not found, otherwise it returns the location in the array where the cipher was found. For example, to indirectly setup Blowfish you can also use:

```
#include <tomcrypt.h>
int main(void)
{
    unsigned char key[8];
    symmetric_key skey;
    int err;

    /* you must register a cipher before you use it */
    if (register_cipher(&blowfish_desc)) == -1) {
        printf("Unable to register Blowfish cipher.");
        return -1;
    }
```

```

/* generic call to function (assuming the key in key[] was already setup) */
if ((err = cipher_descriptor[find_cipher("blowfish")].setup(key, 8, 0, &skey)) != CRYPT_OK) {
    printf("Error setting up Blowfish: %s\n", error_to_string(err));
    return -1;
}

/* ... use cipher ... */
}

```

A good safety would be to check the return value of “`find_cipher()`” before accessing the desired function. In order to use a cipher with the descriptor table you must register it first using:

```
int register_cipher(const struct _cipher_descriptor *cipher);
```

Which accepts a pointer to a descriptor and returns the index into the global descriptor table. If an error occurs such as there is no more room (it can have 32 ciphers at most) it will return **-1**. If you try to add the same cipher more than once it will just return the index of the first copy. To remove a cipher call:

```
int unregister_cipher(const struct _cipher_descriptor *cipher);
```

Which returns **CRYPT\_OK** if it removes it otherwise it returns **CRYPT\_ERROR**. Consider:

```

#include <tomcrypt.h>
int main(void)
{
    int err;

    /* register the cipher */
    if (register_cipher(&rijndael_desc) == -1) {
        printf("Error registering Rijndael\n");
        return -1;
    }

    /* use Rijndael */

    /* remove it */
    if ((err = unregister_cipher(&rijndael_desc)) != CRYPT_OK) {
        printf("Error removing Rijndael: %s\n", error_to_string(err));
        return -1;
    }

    return 0;
}

```

This snippet is a small program that registers only Rijndael only.

## 3.4 Symmetric Modes of Operations

### 3.4.1 Background

A typical symmetric block cipher can be used in chaining modes to effectively encrypt messages larger than the block size of the cipher. Given a key  $k$ , a

plaintext  $P$  and a cipher  $E$  we shall denote the encryption of the block  $P$  under the key  $k$  as  $E_k(P)$ . In some modes there exists an initial vector denoted as  $C_{-1}$ .

### ECB Mode

ECB or Electronic Codebook Mode is the simplest method to use. It is given as:

$$C_i = E_k(P_i) \quad (3.1)$$

This mode is very weak since it allows people to swap blocks and perform replay attacks if the same key is used more than once.

### CBC Mode

CBC or Cipher Block Chaining mode is a simple mode designed to prevent trivial forms of replay and swap attacks on ciphers. It is given as:

$$C_i = E_k(P_i \oplus C_{i-1}) \quad (3.2)$$

It is important that the initial vector be unique and preferably random for each message encrypted under the same key.

### CTR Mode

CTR or Counter Mode is a mode which only uses the encryption function of the cipher. Given a initial vector which is treated as a large binary counter the CTR mode is given as:

$$\begin{aligned} C_{-1} &= C_{-1} + 1 \pmod{2^W} \\ C_i &= P_i \oplus E_k(C_{-1}) \end{aligned} \quad (3.3)$$

Where  $W$  is the size of a block in bits (e.g. 64 for Blowfish). As long as the initial vector is random for each message encrypted under the same key replay and swap attacks are infeasible. CTR mode may look simple but it is as secure as the block cipher is under a chosen plaintext attack (provided the initial vector is unique).

### CFB Mode

CFB or Ciphertext Feedback Mode is a mode akin to CBC. It is given as:

$$\begin{aligned} C_i &= P_i \oplus C_{-1} \\ C_{-1} &= E_k(C_i) \end{aligned} \quad (3.4)$$

Note that in this library the output feedback width is equal to the size of the block cipher. That is this mode is used to encrypt whole blocks at a time. However, the library will buffer data allowing the user to encrypt or decrypt partial blocks without a delay. When this mode is first setup it will initially encrypt the initial vector as required.

### OFB Mode

OFB or Output Feedback Mode is a mode akin to CBC as well. It is given as:

$$\begin{aligned} C_{-1} &= E_k(C_{-1}) \\ C_i &= P_i \oplus C_{-1} \end{aligned} \quad (3.5)$$

Like the CFB mode the output width in CFB mode is the same as the width of the block cipher. OFB mode will also buffer the output which will allow you to encrypt or decrypt partial blocks without delay.

### 3.4.2 Choice of Mode

My personal preference is for the CTR mode since it has several key benefits:

1. No short cycles which is possible in the OFB and CFB modes.
2. Provably as secure as the block cipher being used under a chosen plaintext attack.
3. Technically does not require the decryption routine of the cipher.
4. Allows random access to the plaintext.
5. Allows the encryption of block sizes that are not equal to the size of the block cipher.

The CTR, CFB and OFB routines provided allow you to encrypt block sizes that differ from the ciphers block size. They accomplish this by buffering the data required to complete a block. This allows you to encrypt or decrypt any size block of memory with either of the three modes.

The ECB and CBC modes process blocks of the same size as the cipher at a time. Therefore they are less flexible than the other modes.

### 3.4.3 Initialization

The library provides simple support routines for handling CBC, CTR, CFB, OFB and ECB encoded messages. Assuming the mode you want is XXX there is a structure called “symmetric\_XXX” that will contain the information required to use that mode. They have identical setup routines (except CTR and ECB mode):

```
int XXX_start(int cipher, const unsigned char *IV,
              const unsigned char *key, int keylen,
              int num_rounds, symmetric_XXX *XXX);

int ctr_start(          int      cipher,
                const unsigned char *IV,
                const unsigned char *key,      int keylen,
                                int num_rounds, int ctr_mode,
                symmetric_CTR *ctr);

int ecb_start(int cipher, const unsigned char *key, int keylen,
              int num_rounds, symmetric_ECB *ecb);
```

In each case “cipher” is the index into the cipher\_descriptor array of the cipher you want to use. The “IV” value is the initialization vector to be used with the cipher. You must fill the IV yourself and it is assumed they are the same length as the block size<sup>5</sup> of the cipher you choose. It is important that the IV be random for each unique message you want to encrypt. The parameters “key”, “keylen” and “num\_rounds” are the same as in the XXX\_setup() function call. The final parameter is a pointer to the structure you want to hold the information for the mode of operation.

In the case of CTR mode there is an additional parameter “ctr\_mode” which specifies the mode that the counter is to be used in. If **CTR\_COUNTER\_LITTLE\_ENDIAN** was specified then the counter will be treated as a little endian value. Otherwise, if **CTR\_COUNTER\_BIG\_ENDIAN** was specified the counter will be treated as a big endian value.

The routines return **CRYPT\_OK** if the cipher initialized correctly, otherwise they return an error code.

### 3.4.4 Encryption and Decryption

To actually encrypt or decrypt the following routines are provided:

```
int XXX_encrypt(const unsigned char *pt, unsigned char *ct,
                unsigned long len, symmetric_YYY *YYY);
int XXX_decrypt(const unsigned char *ct, unsigned char *pt,
                unsigned long len, symmetric_YYY *YYY);
```

Where “XXX” is one of  $\{ecb, cbc, ctr, cfb, ofb\}$ .

In all cases “len” is the size of the buffer (as number of octets) to encrypt or decrypt. The CTR, OFB and CFB modes are order sensitive but not chunk sensitive. That is you can encrypt “ABCDEF” in three calls like “AB”, “CD”, “EF” or two like “ABCDE” and “F” and end up with the same ciphertext. However, encrypting “ABC” and “DABC” will result in different ciphertexts. All five of the modes will return **CRYPT\_OK** on success from the encrypt or decrypt functions.

In the ECB and CBC cases “len” must be a multiple of the ciphers block size. In the CBC case you must manually pad the end of your message (either with zeroes or with whatever your protocol requires).

To decrypt in either mode you simply perform the setup like before (recall you have to fetch the IV value you used) and use the decrypt routine on all of the blocks.

### 3.4.5 IV Manipulation

To change or read the IV of a previously initialized chaining mode use the following two functions.

```
int XXX_getiv(unsigned char *IV, unsigned long *len, symmetric_XXX *XXX);
int XXX_setiv(const unsigned char *IV, unsigned long len, symmetric_XXX *XXX);
```

---

<sup>5</sup>In otherwords the size of a block of plaintext for the cipher, e.g. 8 for DES, 16 for AES, etc.

The XXX\_getiv() functions will read the IV out of the chaining mode and store it into “IV” along with the length of the IV stored in “len”. The XXX\_setiv will initialize the chaining mode state as if the original IV were the new IV specified. The length of the IV passed in must be the size of the ciphers block size.

The XXX\_setiv() functions are handy if you wish to change the IV without re-keying the cipher.

### 3.4.6 Stream Termination

To terminate an open stream call the done function.

```
int XXX_done(symmetric_XXX *XXX);
```

This will terminate the stream (by terminating the cipher) and return **CRYPT\_OK** if successful.

### 3.4.7 Examples

```

#include <tomcrypt.h>
int main(void)
{
    unsigned char key[16], IV[16], buffer[512];
    symmetric_CTR ctr;
    int x, err;

    /* register twofish first */
    if (register_cipher(&twofish_desc) == -1) {
        printf("Error registering cipher.\n");
        return -1;
    }

    /* somehow fill out key and IV */

    /* start up CTR mode */
    if ((err = ctr_start(
            find_cipher("twofish"), /* index of desired cipher */
            IV, /* the initial vector */
            key, /* the secret key */
            16, /* length of secret key (16 bytes, 128 bits) */
            0, /* 0 == default # of rounds */
            CTR_COUNTER_LITTLE_ENDIAN, /* Little endian counter */
            &ctr) /* where to store initialized CTR state */
        ) != CRYPT_OK) {
        printf("ctr_start error: %s\n", error_to_string(err));
        return -1;
    }

    /* somehow fill buffer than encrypt it */
    if ((err = ctr_encrypt(
            buffer, /* plaintext */
            buffer, /* ciphertext */
            sizeof(buffer), /* length of data to encrypt */
            &ctr) /* previously initialized CTR state */
        ) != CRYPT_OK) {
        printf("ctr_encrypt error: %s\n", error_to_string(err));
        return -1;
    }

    /* make use of ciphertext... */

    /* now we want to decrypt so let's use ctr_setiv */
    if ((err = ctr_setiv( IV, /* the initial IV we gave to ctr_start */
            16, /* the IV is 16 bytes long */
            &ctr) /* the ctr state we wish to modify */
        ) != CRYPT_OK) {
        printf("ctr_setiv error: %s\n", error_to_string(err));
        return -1;
    }

    if ((err = ctr_decrypt(
            buffer, /* ciphertext */
            buffer, /* plaintext */
            sizeof(buffer), /* length of data to encrypt */
            &ctr) /* previously initialized CTR state */
        )

```

```

    ) != CRYPT_OK) {
    printf("ctr_decrypt error: %s\n", error_to_string(err));
    return -1;
}

/* terminate the stream */
if ((err = ctr_done(&ctr)) != CRYPT_OK) {
    printf("ctr_done error: %s\n", error_to_string(err));
    return -1;
}

/* clear up and return */
zeromem(key, sizeof(key));
zeromem(&ctr, sizeof(ctr));

return 0;
}

```

## 3.5 Encrypt and Authenticate Modes

### 3.5.1 EAX Mode

LibTomCrypt provides support for a mode called EAX<sup>6</sup> in a manner similar to the way it was intended to be used by the designers. First a short description of what EAX mode is before I explain how to use it. EAX is a mode that requires a cipher, CTR and OMAC support and provides encryption and authentication<sup>7</sup>. It is initialized with a random “nonce” that can be shared publicly as well as a “header” which can be fixed and public as well as a random secret symmetric key.

The “header” data is meant to be meta-data associated with a stream that isn’t private (e.g. protocol messages). It can be added at anytime during an EAX stream and is part of the authentication tag. That is, changes in the meta-data can be detected by changes in the output tag.

The mode can then process plaintext producing ciphertext as well as compute a partial checksum. The actual checksum called a “tag” is only emitted when the message is finished. In the interim though the user can process any arbitrary sized message block to send to the recipient as ciphertext. This makes the EAX mode especially suited for streaming modes of operation.

The mode is initialized with the following function.

```
int eax_init(eax_state *eax,
            int cipher,
            const unsigned char *key, unsigned long keylen,
            const unsigned char *nonce, unsigned long noncelen,
            const unsigned char *header, unsigned long headerlen);
```

Where “eax” is the EAX state. “cipher” is the index of the desired cipher in the descriptor table. “key” is the shared secret symmetric key of length “keylen”. “nonce” is the random public string of length “noncelen”. “header” is the random (or fixed or **NULL**) header for the message of length “headerlen”.

---

<sup>6</sup>See M. Bellare, P. Rogaway, D. Wagner, A Conventional Authenticated-Encryption Mode.

<sup>7</sup>Note that since EAX only requires OMAC and CTR you may use “encrypt only” cipher descriptors with this mode.

When this function completes “eax” will be initialized such that you can now either have data decrypted or encrypted in EAX mode. Note that if “headerlen” is zero you may pass “header” as **NULL** to indicate there is no initial header data.

To encrypt or decrypt data in a streaming mode use the following.

```
int eax_encrypt(eax_state *eax, const unsigned char *pt,
                unsigned char *ct, unsigned long length);

int eax_decrypt(eax_state *eax, const unsigned char *ct,
                unsigned char *pt, unsigned long length);
```

The function “eax\_encrypt” will encrypt the bytes in “pt” of “length” bytes and store the ciphertext in “ct”. Note that “ct” and “pt” may be the same region in memory. This function will also send the ciphertext through the OMAC function. The function “eax\_decrypt” decrypts “ct” and stores it in “pt”. This also allows “pt” and “ct” to be the same region in memory.

You cannot both encrypt or decrypt with the same “eax” context. For bi-directional communication you will need to initialize two EAX contexts (preferably with different headers and nonces).

Note that both of these functions allow you to send the data in any granularity but the order is important. While the `eax_init()` function allows you to add initial header data to the stream you can also add header data during the EAX stream with the following.

```
int eax_addheader(eax_state *eax,
                  const unsigned char *header, unsigned long length);
```

This will add the “length” bytes from “header” to the given “eax” stream. Once the message is finished the “tag” (checksum) may be computed with the following function.

```
int eax_done(eax_state *eax,
             unsigned char *tag, unsigned long *taglen);
```

This will terminate the EAX state “eax” and store upto “taglen” bytes of the message tag in “tag”. The function then stores how many bytes of the tag were written out back into “taglen”.

The EAX mode code can be tested to ensure it matches the test vectors by calling the following function.

```
int eax_test(void);
```

This requires that the AES (or Rijndael) block cipher be registered with the cipher\_descriptor table first.

```
#include <tomcrypt.h>
int main(void)
{
    int             err;
    eax_state      eax;
    unsigned char  pt[64], ct[64], nonce[16], key[16], tag[16];
```

```

unsigned long taglen;

if (register_cipher(&rijndael_desc) == -1) {
    printf("Error registering Rijndael");
    return EXIT_FAILURE;
}

/* ... make up random nonce and key ... */

/* initialize context */
if ((err = eax_init(
            &eax,    /* the context */
            find_cipher("rijndael"), /* cipher we want to use */
            nonce,    /* our state nonce */
            16,       /* none is 16 bytes */
            "TestApp", /* example header, identifies this program */
            7) /* length of the header */
    ) != CRYPT_OK) {
    printf("Error eax_init: %s", error_to_string(err));
    return EXIT_FAILURE;
}

/* now encrypt data, say in a loop or whatever */
if ((err = eax_encrypt(
            &eax,    /* eax context */
            pt,       /* plaintext (source) */
            ct,       /* ciphertext (destination) */
            sizeof(pt) /* size of plaintext */
    ) != CRYPT_OK) {
    printf("Error eax_encrypt: %s", error_to_string(err));
    return EXIT_FAILURE;
}

/* finish message and get authentication tag */
taglen = sizeof(tag);
if ((err = eax_done(
            &eax,    /* eax context */
            tag,      /* where to put tag */
            &taglen   /* length of tag space */
    ) != CRYPT_OK) {
    printf("Error eax_done: %s", error_to_string(err));
    return EXIT_FAILURE;
}

/* now we have the authentication tag in "tag" and it's taglen bytes long */
}

```

You can also perform an entire EAX state on a block of memory in a single function call with the following functions.

```
int eax_encrypt_authenticate_memory(int cipher,
        const unsigned char *key,    unsigned long keylen,
```

```

const unsigned char *nonce,    unsigned long noncelen,
const unsigned char *header,   unsigned long headerlen,
const unsigned char *pt,       unsigned long ptlen,
    unsigned char *ct,
    unsigned char *tag,     unsigned long *taglen);

int eax_decrypt_verify_memory(int cipher,
    const unsigned char *key,     unsigned long keylen,
    const unsigned char *nonce,   unsigned long noncelen,
    const unsigned char *header,  unsigned long headerlen,
    const unsigned char *ct,      unsigned long ctlen,
    unsigned char *pt,
    unsigned char *tag,     unsigned long taglen,
    int                 *res);

```

Both essentially just call `eax_init()` followed by `eax_encrypt()` (or `eax_decrypt()` respectively) and `eax_done()`. The parameters have the same meaning as with those respective functions.

The only difference is `eax_decrypt_verify_memory()` does not emit a tag. Instead you pass it a tag as input and it compares it against the tag it computed while decrypting the message. If the tags match then it stores a 1 in “`res`”, otherwise it stores a 0.

### 3.5.2 OCB Mode

LibTomCrypt provides support for a mode called OCB<sup>8</sup>. OCB is an encryption protocol that simultaneously provides authentication. It is slightly faster to use than EAX mode but is less flexible. Let’s review how to initialize an OCB context.

```

int ocb_init(ocb_state *ocb, int cipher,
    const unsigned char *key, unsigned long keylen,
    const unsigned char *nonce);

```

This will initialize the “`ocb`” context using cipher descriptor “`cipher`”. It will use a “`key`” of length “`keylen`” and the random “`nonce`”. Note that “`nonce`” must be a random (public) string the same length as the block cipher’s block size (e.g. 16 bytes for AES).

This mode has no “Associated Data” like EAX mode does which means you cannot authenticate metadata along with the stream. To encrypt or decrypt data use the following.

```

int ocb_encrypt(ocb_state *ocb, const unsigned char *pt, unsigned char *ct);
int ocb_decrypt(ocb_state *ocb, const unsigned char *ct, unsigned char *pt);

```

This will encrypt (or decrypt for the latter) a fixed length of data from “`pt`” to “`ct`” (vice versa for the latter). They assume that “`pt`” and “`ct`” are the same size as the block cipher’s block size. Note that you cannot call both functions given a single “`ocb`” state. For bi-directional communication you will have to

---

<sup>8</sup>See P. Rogaway, M. Bellare, J. Black, T. Krovetz, “OCB: A Block Cipher Mode of Operation for Efficient Authenticated Encryption”.

initialize two “ocb” states (with different nonces). Also “pt” and “ct” may point to the same location in memory.

## State Termination

When you are finished encrypting the message you call the following function to compute the tag.

```
int ocb_done_encrypt(ocb_state *ocb,
                     const unsigned char *pt, unsigned long ptlen,
                     unsigned char *ct,
                     unsigned char *tag, unsigned long *taglen);
```

This will terminate an encrypt stream “ocb”. If you have trailing bytes of plaintext that will not complete a block you can pass them here. This will also encrypt the “ptlen” bytes in “pt” and store them in “ct”. It will also store upto “taglen” bytes of the tag into “tag”.

Note that “ptlen” must be less than or equal to the block size of block cipher chosen. Also note that if you have an input message equal to the length of the block size then you pass the data here (not to `ocb_encrypt()`) only.

To terminate a decrypt stream and compared the tag you call the following.

```
int ocb_done_decrypt(ocb_state *ocb,
                     const unsigned char *ct, unsigned long ctlen,
                     unsigned char *pt,
                     const unsigned char *tag, unsigned long taglen,
                     int *res);
```

Similarly to the previous function you can pass trailing message bytes into this function. This will compute the tag of the message (internally) and then compare it against the “taglen” bytes of “tag” provided. By default “res” is set to zero. If all “taglen” bytes of “tag” can be verified then “res” is set to one (authenticated message).

## Packet Functions

To make life simpler the following two functions are provided for memory bound OCB.

```
int ocb_encrypt_authenticate_memory(int cipher,
    const unsigned char *key,      unsigned long keylen,
    const unsigned char *nonce,
    const unsigned char *pt,       unsigned long ptlen,
    unsigned char *ct,
    unsigned char *tag,           unsigned long *taglen);
```

This will OCB encrypt the message “pt” of length “ptlen” and store the ciphertext in “ct”. The length “ptlen” can be any arbitrary length.

```
int ocb_decrypt_verify_memory(int cipher,
    const unsigned char *key,      unsigned long keylen,
    const unsigned char *nonce,
```

```
const unsigned char *ct,      unsigned long ctlen,
    unsigned char *pt,
const unsigned char *tag,      unsigned long taglen,
    int             *res);
```

Similarly this will OCB decrypt and compare the internally computed tag against the tag provided. “res” is set appropriately.

### 3.5.3 CCM Mode

CCM is a NIST proposal for Encrypt+Authenticate that is centered around using AES (or any 16-byte cipher) as a primitive. Unlike EAX and OCB mode it is only meant for “packet” mode where the length of the input is known in advance. Since it is a packet mode function CCM only has one function that performs the protocol.

```
int ccm_memory(int cipher,
    const unsigned char *key,      unsigned long keylen,
    symmetric_key        *uskey,
    const unsigned char *nonce,     unsigned long noncelen,
    const unsigned char *header,    unsigned long headerlen,
    unsigned char *pt,            unsigned long ptlen,
    unsigned char *ct,
    unsigned char *tag,           unsigned long *taglen,
    int direction);
```

This performs the “CCM” operation on the data. The “cipher” variable indicates which cipher in the descriptor table to use. It must have a 16-byte block size for CCM.

The key can be specified in one of two fashions. First it can be passed as an array of octets in “key” of length “keylen”. Alternatively, it can be passed in as a previously scheduled key in “uskey”. The latter fashion saves time when the same key is used for multiple packets. If “uskey” is not **NULL** then “key” may be **NULL** (and vice-versa).

The nonce or salt is “nonce” of length “noncelen” octets. The header is meta-data you want to send with the message but not have encrypted, it is stored in “header” of length “headerlen” octets. The header can be zero octets long (if *headerlen* = 0 then you can pass “header” as **NULL**).

The plaintext is stored in “pt” and the ciphertext in “ct”. The length of both are expected to be equal and is passed in as “ptlen”. It is allowable that *pt* = *ct*. The “direction” variable indicates whether encryption (direction = **CCM\_ENCRYPT**) or decryption (direction = **CCM\_DECRYPT**) is to be performed.

As implemented this copy of CCM cannot handle a header or plaintext longer than  $2^{32} - 1$  octets long.

You can test the implementation of CCM with the following function.

```
int ccm_test(void);
```

This will return **CRYPT\_OK** if the CCM routine passes known test vectors.

### 3.5.4 GCM Mode

Galois counter mode is an IEEE proposal for authenticated encryption. Like EAX and OCB it can be used in a streaming capacity however, unlike EAX it cannot accept “additional authentication data” (meta-data) after plaintext has been processed. This mode also only works with block ciphers with a sixteen byte block.

A GCM stream is meant to be processed in three modes each one sequential serial. First the initial vector (per session) data is processed. This should be unique to every session. Next the optional additional authentication data is processed and finally the plaintext.

#### Initialization

To initialize the GCM context with a secret key call the following function.

```
int gcm_init(gcm_state *gcm, int cipher,
             const unsigned char *key, int keylen);
```

This initializes the GCM state “gcm” for the given cipher indexed by “cipher” with a secret key “key” of length “keylen” octets. The cipher chosen must have a 16-byte block size (e.g. AES).

#### Initial Vector

After the state has been initialized (or reset) the next step is to add the session (or packet) initial vector. It should be unique per packet encrypted.

```
int gcm_add_iv(gcm_state *gcm,
                const unsigned char *IV,      unsigned long IVlen);
```

This adds the initial vector octets from “IV” of length “IVlen” to the GCM state “gcm”. You can call this function as many times as required to process the entire IV.

Note that the GCM protocols provides a “shortcut” for 12-byte IVs where no preprocessing is to be done. If you want to minimize per packet latency it’s ideal to only use 12-byte IVs. You can just increment it like a counter for each packet and the CTR [privacy] will be ensured.

#### Additional Authentication Data

After the entire IV has been processed the additional authentication data can be processed. Unlike the IV a packet/session does not require additional authentication data (AAD) for security. The AAD is meant to be used as side-channel data you want to be authenticated with the packet. Note that once you begin adding AAD to the GCM state you cannot return to adding IV data until the state is reset.

```
int gcm_add_aad(gcm_state *gcm,
                 const unsigned char *adata,      unsigned long adatalen);
```

This adds the additional authentication data “adata” of length “adatalen” to the GCM state “gcm”.

### Plaintext Processing

After the AAD has been processed the plaintext (or ciphertext depending on the direction) can be processed.

```
int gcm_process(gcm_state *gcm,
                unsigned char *pt,      unsigned long ptlen,
                unsigned char *ct,
                int direction);
```

This processes message data where “pt” is the plaintext and “ct” is the ciphertext. The length of both are equal and stored in “ptlen”. Depending on the mode “pt” is the input and “ct” is the output (or vice versa). When “direction” equals **GCM\_ENCRYPT** the plaintext is read, encrypted and stored in the ciphertext buffer. When “direction” equals **GCM\_DECRYPT** the opposite occurs.

### State Termination

To terminate a GCM state and retrieve the message authentication tag call the following function.

```
int gcm_done(gcm_state *gcm,
             unsigned char *tag,    unsigned long *taglen);
```

This terminates the GCM state “gcm” and stores the tag in “tag” of length “taglen” octets.

### State Reset

The call to `gcm_init()` will perform considerable pre-computation (when **GCM\_TABLES** is defined) and if you’re going to be dealing with a lot of packets it is very costly to have to call it repeatedly. To aid in this endeavour the reset function has been provided.

```
int gcm_reset(gcm_state *gcm);
```

This will reset the GCM state “gcm” to the state that `gcm_init()` left it. The user would then call `gcm_add_iv()`, `gcm_add_aad()`, etc.

### One-Shot Packet

To process a single packet under any given key the following helper function can be used.

```
int gcm_memory(      int      cipher,
                   const unsigned char *key,   unsigned long keylen,
                   const unsigned char *IV,    unsigned long IVlen,
                   const unsigned char *adata, unsigned long adatalen,
                   unsigned char *pt,        unsigned long ptlen,
                   unsigned char *ct,
                   unsigned char *tag,       unsigned long *taglen,
                   int direction);
```

This will initialize the GCM state with the given key, IV and AAD value then proceed to encrypt or decrypt the message text and store the final message tag. The definition of the variables is the same as it is for all the manual functions.

If you are processing many packets under the same key you shouldn't use this function as it invokes the pre-computation with each call.

### Example Usage

The following is an example usage of how to use GCM over multiple packets with a shared secret key.

```
#include <tomcrypt.h>

int send_packet(const unsigned char *pt, unsigned long ptlen,
                const unsigned char *iv, unsigned long ivlen,
                const unsigned char *aad, unsigned long aadlen,
                gcm_state      *gcm)
{
    int          err;
    unsigned long taglen;
    unsigned char tag[16];

    /* reset the state */
    if ((err = gcm_reset(gcm)) != CRYPT_OK) {
        return err;
    }

    /* Add the IV */
    if ((err = gcm_add_iv(gcm, iv, ivlen)) != CRYPT_OK) {
        return err;
    }

    /* Add the AAD (note: aad can be NULL if aadlen == 0) */
    if ((err = gcm_add_aad(gcm, aad, aadlen)) != CRYPT_OK) {
        return err;
    }

    /* process the plaintext */
    if ((err = gcm_process(gcm, pt, ptlen, pt, GCM_ENCRYPT)) != CRYPT_OK) {
        return err;
    }

    /* Finish up and get the MAC tag */
    taglen = sizeof(tag);
    if ((err = gcm_done(gcm, tag, &taglen)) != CRYPT_OK) {
        return err;
    }

    /* ... send a header describing the lengths ... */

    /* depending on the protocol and how IV is generated you may have to send it too... */
    send(socket, iv, ivlen, 0);

    /* send the aad */
```

```

    send(socket, aad, aadlen, 0);

    /* send the ciphertext */
    send(socket, pt, ptlen, 0);

    /* send the tag */
    send(socket, tag, taglen, 0);

    return CRYPT_OK;
}

int main(void)
{
    gcm_state      gcm;
    unsigned char  key[16], IV[12], pt[PACKET_SIZE];
    int           err, x;
    unsigned long  ptlen;

    /* somehow fill key/IV with random values */

    /* register AES */
    register_cipher(&aes_desc);

    /* init the GCM state */
    if ((err = gcm_init(&gcm, find_cipher("aes"), key, 16)) != CRYPT_OK) {
        whine_and_pout(err);
    }

    /* handle us some packets */
    for (;;) {
        ptlen = make_packet_we_want_to_send(pt);

        /* use IV as counter (12 byte counter) */
        for (x = 11; x >= 0; x--) {
            if (++IV[x]) {
                break;
            }
        }

        if ((err = send_packet(pt, ptlen, iv, 12, NULL, 0, &gcm)) != CRYPT_OK) {
            whine_and_pout(err);
        }
    }
    return EXIT_SUCCESS;
}

```

## Chapter 4

# One-Way Cryptographic Hash Functions

### 4.1 Core Functions

Like the ciphers there are hash core functions and a universal data type to hold the hash state called “hash\_state”. To initialize hash XXX (where XXX is the name) call:

```
void XXX_init(hash_state *md);
```

This simply sets up the hash to the default state governed by the specifications of the hash. To add data to the message being hashed call:

```
int XXX_process(hash_state *md, const unsigned char *in, unsigned long inlen);
```

Essentially all hash messages are virtually infinitely<sup>1</sup> long message which are buffered. The data can be passed in any sized chunks as long as the order of the bytes are the same the message digest (hash output) will be the same. For example, this means that:

```
md5_process(&md, "hello ", 6);
md5_process(&md, "world", 5);
```

Will produce the same message digest as the single call:

```
md5_process(&md, "hello world", 11);
```

To finally get the message digest (the hash) call:

```
int XXX_done(hash_state *md,
              unsigned char *out);
```

This function will finish up the hash and store the result in the “out” array. You must ensure that “out” is long enough for the hash in question. Often hashes are used to get keys for symmetric ciphers so the “XXX\_done()” functions will wipe the “md” variable before returning automatically.

To test a hash function call:

---

<sup>1</sup>Most hashes are limited to  $2^{64}$  bits or 2,305,843,009,213,693,952 bytes.

```
int XXX_test(void);
```

This will return **CRYPTO\_OK** if the hash matches the test vectors, otherwise it returns an error code. An example snippet that hashes a message with md5 is given below.

```
#include <tomcrypt.h>
int main(void)
{
    hash_state md;
    unsigned char *in = "hello world", out[16];

    /* setup the hash */
    md5_init(&md);

    /* add the message */
    md5_process(&md, in, strlen(in));

    /* get the hash in out[0..15] */
    md5_done(&md, out);

    return 0;
}
```

## 4.2 Hash Descriptors

Like the set of ciphers the set of hashes have descriptors too. They are stored in an array called “hash\_descriptor” and are defined by:

```
struct _hash_descriptor {
    char *name;
    unsigned long hashsize;    /* digest output size in bytes */
    unsigned long blocksize;   /* the block size the hash uses */
    void (*init)  (hash_state *hash);
    int  (*process)(hash_state *hash,
                    const unsigned char *in, unsigned long inlen);
    int  (*done)   (hash_state *hash, unsigned char *out);
    int  (*test)   (void);
};
```

Similarly “name” is the name of the hash function in ASCII (all lowercase). “hashsize” is the size of the digest output in bytes. The remaining fields are pointers to the functions that do the respective tasks. There is a function to search the array as well called “int find\_hash(char \*name)”. It returns -1 if the hash is not found, otherwise the position in the descriptor table of the hash.

In addition to `find_hash()` there is also `find_hash_oid()` which finds a hash by the ASN.1 OBJECT IDENTIFIER string. `find_hash_oid()`

```
int find_hash_oid(const unsigned long *ID, unsigned long IDlen);
```

You can use the table to indirectly call a hash function that is chosen at runtime. For example:

```

#include <tomcrypt.h>
int main(void)
{
    unsigned char buffer[100], hash[MAXBLOCKSIZE];
    int idx, x;
    hash_state md;

    /* register hashes .... */
    if (register_hash(&md5_desc) == -1) {
        printf("Error registering MD5.\n");
        return -1;
    }

    /* register other hashes ... */

    /* prompt for name and strip newline */
    printf("Enter hash name: \n");
    fgets(buffer, sizeof(buffer), stdin);
    buffer[strlen(buffer) - 1] = 0;

    /* get hash index */
    idx = find_hash(buffer);
    if (idx == -1) {
        printf("Invalid hash name!\n");
        return -1;
    }

    /* hash input until blank line */
    hash_descriptor[idx].init(&md);
    while (fgets(buffer, sizeof(buffer), stdin) != NULL)
        hash_descriptor[idx].process(&md, buffer, strlen(buffer));
    hash_descriptor[idx].done(&md, hash);

    /* dump to screen */
    for (x = 0; x < hash_descriptor[idx].hashsize; x++)
        printf("%02x ", hash[x]);
    printf("\n");
    return 0;
}

```

Note the usage of “MAXBLOCKSIZE”. In Libtomcrypt no symmetric block, key or hash digest is larger than MAXBLOCKSIZE in length. This provides a simple size you can set your automatic arrays to that will not get overrun.

There are three helper functions as well:

```

int hash_memory(int hash,
                const unsigned char *in,    unsigned long inlen,
                unsigned char *out,   unsigned long *outlen);

int hash_file(int hash, const char *fname,
              unsigned char *out, unsigned long *outlen);

int hash_filehandle(int hash, FILE *in,
                    unsigned char *out, unsigned long *outlen);

```

The “hash” parameter is the location in the descriptor table of the hash (*e.g. the return of `find_hash()`*). The “\*outlen” variable is used to keep track of the output size. You must set it to the size of your output buffer before calling the functions. When they complete successfully they store the length of the message digest back in it. The functions are otherwise straightforward. The “`hash_filehandle`” function assumes that “in” is an file handle opened in binary mode. It will hash to the end of file and not reset the file position when finished.

To perform the above hash with `md5` the following code could be used:

```
#include <tomcrypt.h>
int main(void)
{
    int idx, err;
    unsigned long len;
    unsigned char out[MAXBLOCKSIZE];

    /* register the hash */
    if (register_hash(&md5_desc) == -1) {
        printf("Error registering MD5.\n");
        return -1;
    }

    /* get the index of the hash */
    idx = find_hash("md5");

    /* call the hash */
    len = sizeof(out);
    if ((err = hash_memory(idx, "hello world", 11, out, &len)) != CRYPT_OK) {
        printf("Error hashing data: %s\n", error_to_string(err));
        return -1;
    }
    return 0;
}
```

The following hashes are provided as of this release:

Name	Descriptor Name	Size of Message Digest (bytes)
WHIRLPOOL	whirlpool_desc	64
SHA-512	sha512_desc	64
SHA-384	sha384_desc	48
SHA-256	sha256_desc	32
SHA-224	sha224_desc	28
TIGER-192	tiger_desc	24
SHA-1	sha1_desc	20
RIPEMD-160	rmd160_desc	20
RIPEMD-128	rmd128_desc	16
MD5	md5_desc	16
MD4	md4_desc	16
MD2	md2_desc	16

Similar to the cipher descriptor table you must register your hash algorithms before you can use them. These functions work exactly like those of the cipher registration code. The functions are:

```
int register_hash(const struct _hash_descriptor *hash);
int unregister_hash(const struct _hash_descriptor *hash);
```

### 4.3 Cipher Hash Construction

An addition to the suite of hash functions is the “Cipher Hash Construction” or “CHC” mode. In this mode applicable block ciphers (such as AES) can be turned into hash functions that other LTC functions can use. In particular this allows a cryptosystem to be designed using very few moving parts.

In order to use the CHC system the developer will have to take a few extra steps. First the “chc\_desc” hash descriptor must be registered with register\_hash(). At this point the CHC hash cannot be used to hash data. While it is in the hash system you still have to tell the CHC code which cipher to use. This is accomplished via the chc\_register() function.

```
int chc_register(int cipher);
```

A cipher has to be registered with CHC (and also in the cipher descriptor tables with register\_cipher()). The chc\_register() function will bind a cipher to the CHC system. Only one cipher can be bound to the CHC hash at a time. There are additional requirements for the system to work.

1. The cipher must have a block size greater than 64-bits.
2. The cipher must allow an input key the size of the block size.

Example of using CHC with the AES block cipher.

```
#include <tomcrypt.h>
int main(void)
{
    int err;

    /* register cipher and hash */
    if (register_cipher(&aes_enc_desc) == -1) {
        printf("Could not register cipher\n");
        return EXIT_FAILURE;
    }
    if (register_hash(&chc_desc) == -1) {
        printf("Could not register hash\n");
        return EXIT_FAILURE;
    }

    /* start chc with AES */
    if ((err = chc_register(find_cipher("aes"))) != CRYPT_OK) {
        printf("Error binding AES to CHC: %s\n", error_to_string(err));
    }

    /* now you can use chc_hash in any LTC function [aside from pkcs...] */
    /* ... */
```

## 4.4 Notice

It is highly recommended that you **not** use the MD4 or MD5 hashes for the purposes of digital signatures or authentication codes. These hashes are provided for completeness and they still can be used for the purposes of password hashing or one-way accumulators (e.g. Yarrow).

The other hashes such as the SHA-1, SHA-2 (that includes SHA-512, SHA-384 and SHA-256) and TIGER-192 are still considered secure for all purposes you would normally use a hash for.

## Chapter 5

# Message Authentication Codes

### 5.1 HMAC Protocol

Thanks to Dobes Vandermeer the library now includes support for hash based message authentication codes or HMAC for short. An HMAC of a message is a keyed authentication code that only the owner of a private symmetric key will be able to verify. The purpose is to allow an owner of a private symmetric key to produce an HMAC on a message then later verify if it is correct. Any impostor or eavesdropper will not be able to verify the authenticity of a message.

The HMAC support works much like the normal hash functions except that the initialization routine requires you to pass a key and its length. The key is much like a key you would pass to a cipher. That is, it is simply an array of octets stored in chars. The initialization routine is:

```
int hmac_init(hmac_state *hmac, int hash,
              const unsigned char *key, unsigned long keylen);
```

The “hmac” parameter is the state for the HMAC code. “hash” is the index into the descriptor table of the hash you want to use to authenticate the message. “key” is the pointer to the array of chars that make up the key. “keylen” is the length (in octets) of the key you want to use to authenticate the message. To send octets of a message through the HMAC system you must use the following function:

```
int hmac_process(hmac_state *hmac,
                 const unsigned char *in, unsigned long inlen);
```

“hmac” is the HMAC state you are working with. “buf” is the array of octets to send into the HMAC process. “len” is the number of octets to process. Like the hash process routines you can send the data in arbitrarily sized chunks. When you are finished with the HMAC process you must call the following function to get the HMAC code:

```
int hmac_done(hmac_state *hmac,
              unsigned char *out, unsigned long *outlen);
```

“hmac” is the HMAC state you are working with. “out” is the array of octets where the HMAC code should be stored. You must set “outlen” to the size of the destination buffer before calling this function. It is updated with the length of the HMAC code produced (depending on which hash was picked). If “outlen” is less than the size of the message digest (and ultimately the HMAC code) then the HMAC code is truncated as per FIPS-198 specifications (e.g. take the first “outlen” bytes).

There are two utility functions provided to make using HMACs easier to do. They accept the key and information about the message (file pointer, address in memory) and produce the HMAC result in one shot. These are useful if you want to avoid calling the three step process yourself.

```
int hmac_memory(int hash,
                const unsigned char *key, unsigned long keylen,
                const unsigned char *in, unsigned long inlen,
                unsigned char *out, unsigned long *outlen);
```

This will produce an HMAC code for the array of octets in “in” of length “inlen”. The index into the hash descriptor table must be provided in “hash”. It uses the key from “key” with a key length of “keylen”. The result is stored in the array of octets “out” and the length in “outlen”. The value of “outlen” must be set to the size of the destination buffer before calling this function. Similarly for files there is the following function:

```
int hmac_file(int hash, const char *fname,
              const unsigned char *key, unsigned long keylen,
              unsigned char *out, unsigned long *outlen);
```

“hash” is the index into the hash descriptor table of the hash you want to use. “fname” is the filename to process. “key” is the array of octets to use as the key of length “keylen”. “out” is the array of octets where the result should be stored.

To test if the HMAC code is working there is the following function:

```
int hmac_test(void);
```

Which returns **CRYPT\_OK** if the code passes otherwise it returns an error code. Some example code for using the HMAC system is given below.

```
#include <tomcrypt.h>
int main(void)
{
    int idx, err;
    hmac_state hmac;
    unsigned char key[16], dst[MAXBLOCKSIZE];
    unsigned long dstlen;

    /* register SHA-1 */
    if (register_hash(&sha1_desc) == -1) {
        printf("Error registering SHA1\n");
        return -1;
    }
```

```

/* get index of SHA1 in hash descriptor table */
idx = find_hash("sha1");

/* we would make up our symmetric key in "key[]" here */

/* start the HMAC */
if ((err = hmac_init(&hmac, idx, key, 16)) != CRYPT_OK) {
    printf("Error setting up hmac: %s\n", error_to_string(err));
    return -1;
}

/* process a few octets */
if((err = hmac_process(&hmac, "hello", 5) != CRYPT_OK) {
    printf("Error processing hmac: %s\n", error_to_string(err));
    return -1;
}

/* get result (presumably to use it somehow...) */
dstlen = sizeof(dst);
if ((err = hmac_done(&hmac, dst, &dstlen)) != CRYPT_OK) {
    printf("Error finishing hmac: %s\n", error_to_string(err));
    return -1;
}
printf("The hmac is %lu bytes long\n", dstlen);

/* return */
return 0;
}

```

## 5.2 OMAC Support

OMAC<sup>1</sup>, which stands for *One-Key CBC MAC* is an algorithm which produces a Message Authentication Code (MAC) using only a block cipher such as AES. From an API standpoint the OMAC routines work much like the HMAC routines do. Instead in this case a cipher is used instead of a hash.

To start an OMAC state you call

```
int omac_init(omac_state *omac, int cipher,
              const unsigned char *key, unsigned long keylen);
```

The “omac” variable is the state for the OMAC algorithm. “cipher” is the index into the cipher\_descriptor table of the cipher<sup>2</sup> you wish to use. “key” and “keylen” are the keys used to authenticate the data.

To send data through the algorithm call

```
int omac_process(omac_state *state,
                 const unsigned char *in, unsigned long inlen);
```

This will send “inlen” bytes from “in” through the active OMAC state “state”. Returns **CRYPT\_OK** if the function succeeds. The function is not sensitive to the granularity of the data. For example,

<sup>1</sup><http://crypt.cis.ibaraki.ac.jp/omac/omac.html>

<sup>2</sup>The cipher must have a 64 or 128 bit block size. Such as CAST5, Blowfish, DES, AES, Twofish, etc.

```
omac_process(&mystate, "hello", 5);
omac_process(&mystate, " world", 6);
```

Would produce the same result as,

```
omac_process(&mystate, "hello world", 11);
```

When you are done processing the message you can call the following to compute the message tag.

```
int omac_done(omac_state *state,
              unsigned char *out, unsigned long *outlen);
```

Which will terminate the OMAC and output the *tag* (MAC) to “out”. Note that unlike the HMAC and other code “outlen” can be smaller than the default MAC size (for instance AES would make a 16-byte tag). Part of the OMAC specification states that the output may be truncated. So if you pass in *outlen* = 5 and use AES as your cipher than the output MAC code will only be five bytes long. If “outlen” is larger than the default size it is set to the default size to show how many bytes were actually used.

Similar to the HMAC code the file and memory functions are also provided. To OMAC a buffer of memory in one shot use the following function.

```
int omac_memory(int cipher,
                const unsigned char *key, unsigned long keylen,
                const unsigned char *in, unsigned long inlen,
                unsigned char *out, unsigned long *outlen);
```

This will compute the OMAC of “inlen” bytes of “in” using the key “key” of length “keylen” bytes and the cipher specified by the “cipher”’th entry in the cipher\_descriptor table. It will store the MAC in “out” with the same rules as *omac\_done*.

To OMAC a file use

```
int omac_file(int cipher,
              const unsigned char *key, unsigned long keylen,
              const char *filename,
              unsigned char *out, unsigned long *outlen);
```

Which will OMAC the entire contents of the file specified by “filename” using the key “key” of length “keylen” bytes and the cipher specified by the “cipher”’th entry in the cipher\_descriptor table. It will store the MAC in “out” with the same rules as *omac\_done*.

To test if the OMAC code is working there is the following function:

```
int omac_test(void);
```

Which returns **CRYPT\_OK** if the code passes otherwise it returns an error code. Some example code for using the OMAC system is given below.

```
#include <tomcrypt.h>
int main(void)
{
```

```

int idx, err;
omac_state omac;
unsigned char key[16], dst[MAXBLOCKSIZE];
unsigned long dstlen;

/* register Rijndael */
if (register_cipher(&rijndael_desc) == -1) {
    printf("Error registering Rijndael\n");
    return -1;
}

/* get index of Rijndael in cipher descriptor table */
idx = find_cipher("rijndael");

/* we would make up our symmetric key in "key[]" here */

/* start the OMAC */
if ((err = omac_init(&omac, idx, key, 16)) != CRYPT_OK) {
    printf("Error setting up omac: %s\n", error_to_string(err));
    return -1;
}

/* process a few octets */
if ((err = omac_process(&omac, "hello", 5) != CRYPT_OK) {
    printf("Error processing omac: %s\n", error_to_string(err));
    return -1;
}

/* get result (presumably to use it somehow...) */
dstlen = sizeof(dst);
if ((err = omac_done(&omac, dst, &dstlen)) != CRYPT_OK) {
    printf("Error finishing omac: %s\n", error_to_string(err));
    return -1;
}
printf("The omac is %lu bytes long\n", dstlen);

/* return */
return 0;
}

```

### 5.3 PMAC Support

The PMAC<sup>3</sup> protocol is another MAC algorithm that relies solely on a symmetric-key block cipher. It uses essentially the same API as the provided OMAC code.

A PMAC state is initialized with the following.

```
int pmac_init(pmac_state *pmac, int cipher,
              const unsigned char *key, unsigned long keylen);
```

Which initializes the “pmac” state with the given “cipher” and “key” of length

---

<sup>3</sup>J.Black, P.Rogaway, “A Block–Cipher Mode of Operation for Parallelizable Message Authentication”

“keylen” bytes. The chosen cipher must have a 64 or 128 bit block size (e.x. AES).

To MAC data simply send it through the process function.

```
int pmac_process(pmac_state *state,
                  const unsigned char *in, unsigned long inlen);
```

This will process “inlen” bytes of “in” in the given “state”. The function is not sensitive to the granularity of the data. For example,

```
pmac_process(&mystate, "hello", 5);
pmac_process(&mystate, " world", 6);
```

Would produce the same result as,

```
pmac_process(&mystate, "hello world", 11);
```

When a complete message has been processed the following function can be called to compute the message tag.

```
int pmac_done(pmac_state *state,
              unsigned char *out, unsigned long *outlen);
```

This will store upto “outlen” bytes of the tag for the given “state” into “out”. Note that if “outlen” is larger than the size of the tag it is set to the amount of bytes stored in “out”.

Similar to the PMAC code the file and memory functions are also provided. To PMAC a buffer of memory in one shot use the following function.

```
int pmac_memory(int cipher,
                const unsigned char *key, unsigned long keylen,
                const unsigned char *in, unsigned long inlen,
                unsigned char *out, unsigned long *outlen);
```

This will compute the PMAC of “msglen” bytes of “msg” using the key “key” of length “keylen” bytes and the cipher specified by the “cipher”’th entry in the cipher\_descriptor table. It will store the MAC in “out” with the same rules as omac\_done.

To PMAC a file use

```
int pmac_file(int cipher,
              const unsigned char *key, unsigned long keylen,
              const char *filename,
              unsigned char *out, unsigned long *outlen);
```

Which will PMAC the entire contents of the file specified by “filename” using the key “key” of length “keylen” bytes and the cipher specified by the “cipher”’th entry in the cipher\_descriptor table. It will store the MAC in “out” with the same rules as omac\_done.

To test if the PMAC code is working there is the following function:

```
int pmac_test(void);
```

Which returns **CRYPT\_OK** if the code passes otherwise it returns an error code.

## 5.4 Pelican MAC

Pelican MAC is a new (experimental) MAC by the AES team that uses four rounds of AES as a “mixing function”. It achieves a very high rate of processing and is potentially very secure. It requires AES to be enabled to function. You do not have to register\_cipher() AES first though as it calls AES directly.

```
int pelican_init(pelican_state *pelmac, const unsigned char *key, unsigned long keylen);
```

This will initialize the Pelican state with the given AES key. Once this has been done you can begin processing data.

```
int pelican_process(pelican_state *pelmac, const unsigned char *in, unsigned long inlen);
```

This will process “inlen” bytes of “in” through the Pelican MAC. It’s best that you pass in multiples of 16 bytes as it makes the routine more efficient but you may pass in any length of text. You can call this function as many times as required to process an entire message.

```
int pelican_done(pelican_state *pelmac, unsigned char *out);
```

This terminates a Pelican MAC and writes the 16-octet tag to “out”.

### 5.4.1 Example

```
#include <tomcrypt.h>
int main(void)
{
    pelican_state pelstate;
    unsigned char key[32], tag[16];
    int         err;

    /* somehow initialize a key */

    /* initialize pelican mac */
    if ((err = pelican_init(&pelstate,             /* the state */
                           key,                  /* user key */
                           32                   /* key length in octets */
                           )) != CRYPT_OK) {
        printf("Error initializing Pelican: %s", error_to_string(err));
        return EXIT_FAILURE;
    }

    /* MAC some data */
    if ((err = pelican_process(&pelstate,          /* the state */
                           "hello world",        /* data to mac */
                           11                   /* length of data */
                           )) != CRYPT_OK) {
        printf("Error processing Pelican: %s", error_to_string(err));
        return EXIT_FAILURE;
    }
}
```

```
/* Terminate the MAC */
if ((err = pelican_done(&pelstate,          /* the state */
                      tag,                  /* where to store the tag */
                      )) != CRYPT_OK) {
    printf("Error terminating Pelican: %s", error_to_string(err));
    return EXIT_FAILURE;
}

/* tag[0..15] has the MAC output now */

return EXIT_SUCCESS;
}
```

# Chapter 6

# Pseudo-Random Number Generators

## 6.1 Core Functions

The library provides an array of core functions for Pseudo-Random Number Generators (PRNGs) as well. A cryptographic PRNG is used to expand a shorter bit string into a longer bit string. PRNGs are used wherever random data is required such as Public Key (PK) key generation. There is a universal structure called “prng\_state”. To initialize a PRNG call:

```
int XXX_start(prng_state *prng);
```

This will setup the PRNG for future use and not seed it. In order for the PRNG to be cryptographically useful you must give it entropy. Ideally you'd have some OS level source to tap like in UNIX. To add entropy to the PRNG call:

```
int XXX_add_entropy(const unsigned char *in, unsigned long inlen,
                     prng_state *prng);
```

Which returns **CRYPTO\_OK** if the entropy was accepted. Once you think you have enough entropy you call another function to put the entropy into action.

```
int XXX_ready(prng_state *prng);
```

Which returns **CRYPTO\_OK** if it is ready. Finally to actually read bytes call:

```
unsigned long XXX_read(unsigned char *out, unsigned long outlen,
                       prng_state *prng);
```

Which returns the number of bytes read from the PRNG. When you are finished with a PRNG state you call the following.

```
void XXX_done(prng_state *prng);
```

This will terminate a PRNG state and free any memory (if any) allocated. To export a PRNG state so that you can later resume the PRNG call the following.

```
int XXX_export(unsigned char *out, unsigned long *outlen,
               prng_state *prng);
```

This will write a “PRNG state” to the buffer “out” of length “outlen” bytes. The idea of the export is meant to be used as a “seed file”. That is, when the program starts up there will not likely be that much entropy available. To import a state to seed a PRNG call the following function.

```
int XXX_import(const unsigned char *in, unsigned long inlen,
               prng_state *prng);
```

This will call the start and add\_entropy functions of the given PRNG. It will use the state in “in” of length “inlen” as the initial seed. You must pass the same seed length as was exported by the corresponding export function.

Note that importing a state will not “resume” the PRNG from where it left off. That is, if you export a state, emit (say) 8 bytes and then import the previously exported state the next 8 bytes will not specifically equal the 8 bytes you generated previously.

When a program is first executed the normal course of operation is

1. Gather entropy from your sources for a given period of time or number of events.
2. Start, use your entropy via add\_entropy and ready the PRNG yourself.

When your program is finished you simply call the export function and save the state to a medium (disk, flash memory, etc). The next time your application starts up you can detect the state, feed it to the import function and go on your way. It is ideal that (as soon as possible) after startup you export a fresh state. This helps in the case that the program aborts or the machine is powered down without being given a chance to exit properly.

Note that even if you have a state to import it is important to add new entropy to the state. However, there is less pressure to do so.

To test a PRNG for operational conformity call the following functions.

```
int XXX_test(void);
```

This will return **CRYPT\_OK** if PRNG is operating properly.

### 6.1.1 Remarks

It is possible to be adding entropy and reading from a PRNG at the same time. For example, if you first seed the PRNG and call ready() you can now read from it. You can also keep adding new entropy to it. The new entropy will not be used in the PRNG until ready() is called again. This allows the PRNG to be used and re-seeded at the same time. No real error checking is guaranteed to see if the entropy is sufficient or if the PRNG is even in a ready state before reading.

### 6.1.2 Example

Below is a simple snippet to read 10 bytes from yarrow. Its important to note that this snippet is **NOT** secure since the entropy added is not random.

```
#include <tomcrypt.h>
int main(void)
{
    prng_state prng;
    unsigned char buf[10];
    int err;

    /* start it */
    if ((err = yarrow_start(&prng)) != CRYPT_OK) {
        printf("Start error: %s\n", error_to_string(err));
    }
    /* add entropy */
    if ((err = yarrow_add_entropy("hello world", 11, &prng)) != CRYPT_OK) {
        printf("Add_entropy error: %s\n", error_to_string(err));
    }
    /* ready and read */
    if ((err = yarrow_ready(&prng)) != CRYPT_OK) {
        printf("Ready error: %s\n", error_to_string(err));
    }
    printf("Read %lu bytes from yarrow\n", yarrow_read(buf, 10, &prng));
    return 0;
}
```

## 6.2 PRNG Descriptors

PRNGs have descriptors too (surprised?). Stored in the structure “prng\_descriptor”. The format of an element is:

```
struct _prng_descriptor {
    char *name;
    int export_size; /* size in bytes of exported state */
    int (*start) (prng_state *);
    int (*add_entropy)(const unsigned char *, unsigned long, prng_state *);
    int (*ready) (prng_state *);
    unsigned long (*read)(unsigned char *, unsigned long len, prng_state *);
    void (*done)(prng_state *);
    int (*export)(unsigned char *, unsigned long *, prng_state *);
    int (*import)(const unsigned char *, unsigned long, prng_state *);
    int (*test)(void);
};
```

There is a “int find\_prng(char \*name)” function as well. Returns -1 if the PRNG is not found, otherwise it returns the position in the prng\_descriptor array.

Just like the ciphers and hashes you must register your prng before you can use it. The two functions provided work exactly as those for the cipher registry functions. They are:

```
int register_prng(const struct _prng_descriptor *prng);
int unregister_prng(const struct _prng_descriptor *prng);
```

### 6.2.1 PRNGs Provided

Name	Descriptor	Usage
Yarrow	yarrow_desc	Fast short-term PRNG
Fortuna	fortuna_desc	Fast long-term PRNG (recommended)
RC4	rc4_desc	Stream Cipher
SOBER-128	sober128_desc	Stream Cipher (also very fast PRNG)

Figure 6.1: List of Provided PRNGs

#### Yarrow

Yarrow is fast PRNG meant to collect an unspecified amount of entropy from sources (keyboard, mouse, interrupts, etc) and produce an unbounded string of random bytes.

*Note:* This PRNG is still secure for most taskings but is no longer recommended. Users should use Fortuna instead.

#### Fortuna

Fortuna is a fast attack tolerant and more thoroughly designed PRNG suitable for long term usage. It is faster than the default implementation of Yarrow<sup>1</sup> while providing more security.

Fortuna is slightly less flexible than Yarrow in the sense that it only works with the AES block cipher and SHA-256 hash function. Technically Fortuna will work with any block cipher that accepts a 256-bit key and any hash that produces at least a 256-bit output. However, to make the implementation simpler it has been fixed to those choices.

Fortuna is more secure than Yarrow in the sense that attackers who learn parts of the entropy being added to the PRNG learn far less about the state than that of Yarrow. Without getting into to many details Fortuna has the ability to recover from state determination attacks where the attacker starts to learn information from the PRNGs output about the internal state. Yarrow on the other hand cannot recover from that problem until new entropy is added to the pool and put to use through the ready() function.

---

<sup>1</sup>Yarrow has been implemented to work with most cipher and hash combos based on which you have chosen to build into the library.

**RC4**

RC4 is an old stream cipher that can also double duty as a PRNG in a pinch. You “key” it by calling `add_entropy()` and setup the key by calling `ready()`. You can only add upto 256 bytes via `add_entropy()`.

When you read from RC4 the output of the RC4 algorithm is XOR’d against your buffer you provide. In this manner you can use `rc4_read()` as an encrypt (and decrypt) function.

You really shouldn’t use RC4 anymore. This isn’t because RC4 is weak (though biases are known to exist) just simply that faster alternatives exist.

**SOBER-128**

SOBER-128 is a stream cipher designed by the QUALCOMM Australia team. Like RC4 you “key” it by calling `add_entropy()`. There is no need to call `ready()` for this PRNG as it does not do anything.

Note that this cipher has several oddities about how it operates. The first time you call `add_entropy()` that sets the cipher’s key. Every other time you call the same function it sets the cipher’s IV variable. The IV mechanism allows you to encrypt several messages with the same key and not re-use the same key material.

Unlike Yarrow and Fortuna all of the entropy (and hence security) of this algorithm rests in the data you pass it on the first call to `add_entropy()`. All buffers sent to `add_entropy()` must have a length that is a multiple of four bytes.

Like RC4 the output of SOBER-128 is XOR’ed against the buffer you provide it. In this manner you can use `sober128_read()` as an encrypt (and decrypt) function.

Since SOBER-128 has a fixed keying scheme and is very fast (faster than RC4) the ideal usage of SOBER-128 is to key it from the output of Fortuna (or Yarrow) and use it to encrypt messages. It is also ideal for simulations which need a high quality (and fast) stream of bytes.

**Example Usage**

```
#include <tomcrypt.h>
int main(void)
{
    prng_state prng;
    unsigned char buf[32];
    int err;

    if ((err = rc4_start(&prng)) != CRYPT_OK) {
        printf("RC4 init error: %s\n", error_to_string(err));
        exit(-1);
    }

    /* use ‘‘key’’ as the key */
    if ((err = rc4_add_entropy("key", 3, &prng)) != CRYPT_OK) {
        printf("RC4 add entropy error: %s\n", error_to_string(err));
        exit(-1);
    }
}
```

```

/* setup RC4 for use */
if ((err = rc4_ready(&prng)) != CRYPT_OK) {
    printf("RC4 ready error: %s\n", error_to_string(err));
    exit(-1);
}

/* encrypt buffer */
strcpy(buf,"hello world");
if (rc4_read(buf, 11, &prng) != 11) {
    printf("RC4 read error\n");
    exit(-1);
}
return 0;
}

```

To decrypt you have to do the exact same steps.

### 6.3 The Secure RNG

An RNG is related to a PRNG except that it doesn't expand a smaller seed to get the data. They generate their random bits by performing some computation on fresh input bits. Possibly the hardest thing to get correctly in a cryptosystem is the PRNG. Computers are deterministic beasts that try hard not to stray from pre-determined paths. That makes gathering entropy needed to seed the PRNG a hard task.

There is one small function that may help on certain platforms:

```
unsigned long rng_get_bytes(unsigned char *buf, unsigned long len,
                           void (*callback)(void));
```

Which will try one of three methods of getting random data. The first is to open the popular “/dev/random” device which on most \*NIX platforms provides cryptographic random bits<sup>2</sup>. The second method is to try the Microsoft Cryptographic Service Provider and read the RNG. The third method is an ANSI C clock drift method that is also somewhat popular but gives bits of lower entropy. The “callback” parameter is a pointer to a function that returns void. Its used when the slower ANSI C RNG must be used so the calling application can still work. This is useful since the ANSI C RNG has a throughput of three bytes a second. The callback pointer may be set to **NULL** to avoid using it if you don't want to. The function returns the number of bytes actually read from any RNG source. There is a function to help setup a PRNG as well:

```
int rng_make_prng(int bits, int wprng, prng_state *prng,
                  void (*callback)(void));
```

This will try to setup the prng with a state of at least “bits” of entropy. The “callback” parameter works much like the callback in “rng\_get\_bytes()”. It is highly recommended that you use this function to setup your PRNGs unless you have a platform where the RNG doesn't work well. Example usage of this function is given below.

---

<sup>2</sup>This device is available in Windows through the Cygwin compiler suite. It emulates “/dev/random” via the Microsoft CSP.

```

#include <tomcrypt.h>
int main(void)
{
    ecc_key mykey;
    prng_state prng;
    int err;

    /* register yarrow */
    if (register_prng(&yarrow_desc) == -1) {
        printf("Error registering Yarrow\n");
        return -1;
    }

    /* setup the PRNG */
    if ((err = rng_make_prng(128, find_prng("yarrow"), &prng, NULL)) != CRYPT_OK) {
        printf("Error setting up PRNG, %s\n", error_to_string(err));
        return -1;
    }

    /* make a 192-bit ECC key */
    if ((err = ecc_make_key(&prng, find_prng("yarrow"), 24, &mykey)) != CRYPT_OK) {
        printf("Error making key: %s\n", error_to_string(err));
        return -1;
    }
    return 0;
}

```

### 6.3.1 The Secure PRNG Interface

It is possible to access the secure RNG through the PRNG interface and in turn use it within dependent functions such as the PK API. This simplifies the cryptosystem on platforms where the secure RNG is fast. The secure PRNG never requires to be started, that is you need not call the start, add\_entropy or ready functions. For example, consider the previous example using this PRNG.

```

#include <tomcrypt.h>
int main(void)
{
    ecc_key mykey;
    int err;

    /* register SPRNG */
    if (register_prng(&sprng_desc) == -1) {
        printf("Error registering SPRNG\n");
        return -1;
    }

    /* make a 192-bit ECC key */
    if ((err = ecc_make_key(NULL, find_prng("sprng"), 24, &mykey)) != CRYPT_OK) {
        printf("Error making key: %s\n", error_to_string(err));
        return -1;
    }
    return 0;
}

```



# Chapter 7

## RSA Public Key Cryptography

### 7.1 Introduction

RSA wrote the PKCS #1 specifications which detail RSA Public Key Cryptography. In the specifications are padding algorithms for encryption and signatures. The standard includes the “v2.1” algorithms. To simplify matters a little the v2.1 encryption and signature padding algorithms are called OAEP and PSS respectively.

### 7.2 PKCS #1 Encryption

PKCS #1 RSA Encryption amounts to OAEP padding of the input message followed by the modular exponentiation. As far as this portion of the library is concerned we are only dealing with the OAEP padding of the message.

#### 7.2.1 OAEP Encoding

```
int pkcs_1_oaep_encode(const unsigned char *msg,      unsigned long msglen,
                      const unsigned char *lparam, unsigned long lparamlen,
                      unsigned long modulus_bitlen, prng_state *prng,
                      int           prng_idx,      int hash_idx,
                      unsigned char *out,         unsigned long *outlen);
```

This accepts “msg” as input of length “msglen” which will be OAEP padded. The “lparam” variable is an additional system specific tag that can be applied to the encoding. This is useful to identify which system encoded the message. If no variance is desired then “lparam” can be set to **NULL**.

OAEP encoding requires the length of the modulus in bits in order to calculate the size of the output. This is passed as the parameter “modulus\_bitlen”. “hash\_idx” is the index into the hash descriptor table of the hash desired. PKCS #1 allows any hash to be used but both the encoder and decoder must use the same hash in order for this to succeed. The size of hash output affects the maximum sized input message. “prng\_idx” and “prng” are the random number

generator arguments required to randomize the padding process. The padded message is stored in “out” along with the length in “outlen”.

If  $h$  is the length of the hash and  $m$  the length of the modulus (both in octets) then the maximum payload for “msg” is  $m - 2h - 2$ . For example, with a 1024-bit RSA key and SHA-1 as the hash the maximum payload is 86 bytes.

Note that when the message is padded it still has not been RSA encrypted. You must pass the output of this function to `rsa_exptmod()` to encrypt it.

### 7.2.2 OAEP Decoding

```
int pkcs_1_oaep_decode(const unsigned char *msg,    unsigned long msglen,
                      const unsigned char *lparam, unsigned long lparamlen,
                      unsigned long modulus_bitlen, int hash_idx,
                      unsigned char *out,    unsigned long *outlen,
                      int                 *res);
```

This function decodes an OAEP encoded message and outputs the original message that was passed to the OAEP encoder. “msg” is the output of `pkcs_1_oaep_encode()` of length “msglen”. “lparam” is the same system variable passed to the OAEP encoder. If it does not match what was used during encoding this function will not decode the packet. “modulus\_bitlen” is the size of the RSA modulus in bits and must match what was used during encoding. Similarly the “hash\_idx” index into the hash descriptor table must match what was used during encoding.

If the function succeeds it decodes the OAEP encoded message into “out” of length “outlen” and stores a 1 in “res”. If the packet is invalid it stores 0 in “res” and if the function fails for another reason it returns an error code.

## 7.3 PKCS #1 Digital Signatures

### 7.3.1 PSS Encoding

PSS encoding is the second half of the PKCS #1 standard which is padding to be applied to messages that are signed.

```
int pkcs_1_pss_encode(const unsigned char *msghash, unsigned long msghashlen,
                      unsigned long saltlen, prng_state *prng,
                      int         prng_idx, int         hash_idx,
                      unsigned long modulus_bitlen,
                      unsigned char *out,    unsigned long *outlen);
```

This function assumes the message to be PSS encoded has previously been hashed. The input hash “msghash” is of length “msghashlen”. PSS allows a variable length random salt (it can be zero length) to be introduced in the signature process. “hash\_idx” is the index into the hash descriptor table of the hash to use. “prng\_idx” and “prng” are the random number generator information required for the salt.

Similar to OAEP encoding “modulus\_bitlen” is the size of the RSA modulus (in bits). It limits the size of the salt. If  $m$  is the length of the modulus  $h$  the length of the hash output (in octets) then there can be  $m - h - 2$  bytes of salt.

This function does not actually sign the data it merely pads the hash of a message so that it can be processed by `rsa_exptmod()`.

### 7.3.2 PSS Decoding

To decode a PSS encoded signature block you have to use the following.

```
int pkcs_1_pss_decode(const unsigned char *msghash, unsigned long msghashlen,
                      const unsigned char *sig,      unsigned long siglen,
                      unsigned long saltlen, int      hash_idx,
                      unsigned long modulus_bitlen, int *res);
```

This will decode the PSS encoded message in “sig” of length “siglen” and compare it to values in “msghash” of length “msghashlen”. If the block is a valid PSS block and the decoded hash equals the hash supplied “res” is set to non-zero. Otherwise, it is set to zero. The rest of the parameters are as in the PSS encode call.

It’s important to use the same “saltlen” and hash for both encoding and decoding as otherwise the procedure will not work.

## 7.4 RSA Operations

### 7.4.1 Background

RSA is a public key algorithm that is based on the inability to find the “e-th” root modulo a composite of unknown factorization. Normally the difficulty of breaking RSA is associated with the integer factoring problem but they are not strictly equivalent.

The system begins with with two primes  $p$  and  $q$  and their product  $N = pq$ . The order or “Euler totient” of the multiplicative sub-group formed modulo  $N$  is given as  $\varphi(N) = (p - 1)(q - 1)$  which can be reduced to  $\text{lcm}(p - 1, q - 1)$ . The public key consists of the composite  $N$  and some integer  $e$  such that  $\text{gcd}(e, \varphi(N)) = 1$ . The private key consists of the composite  $N$  and the inverse of  $e$  modulo  $\varphi(N)$  often simply denoted as  $de \equiv 1 \pmod{\varphi(N)}$ .

A person who wants to encrypt with your public key simply forms an integer (the plaintext)  $M$  such that  $1 < M < N - 2$  and computes the ciphertext  $C = M^e \pmod{N}$ . Since finding the inverse exponent  $d$  given only  $N$  and  $e$  appears to be intractable only the owner of the private key can decrypt the ciphertext and compute  $C^d \equiv (M^e)^d \equiv M^1 \equiv M \pmod{N}$ . Similarly the owner of the private key can sign a message by “decrypting” it. Others can verify it by “encrypting” it.

Currently RSA is a difficult system to cryptanalyze provided that both primes are large and not close to each other. Ideally  $e$  should be larger than 100 to prevent direct analysis. For example, if  $e$  is three and you do not pad the plaintext to be encrypted than it is possible that  $M^3 < N$  in which case finding the cube-root would be trivial. The most often suggested value for  $e$  is 65537 since it is large enough to make such attacks impossible and also well designed for fast exponentiation (requires 16 squarings and one multiplication).

It is important to pad the input to RSA since it has particular mathematical structure. For instance  $M_1^d M_2^d = (M_1 M_2)^d$  which can be used to forge a signature. Suppose  $M_3 = M_1 M_2$  is a message you want to have a forged signature

for. Simply get the signatures for  $M_1$  and  $M_2$  on their own and multiply the result together. Similar tricks can be used to deduce plaintexts from ciphertexts. It is important not only to sign the hash of documents only but also to pad the inputs with data to remove such structure.

### 7.4.2 RSA Key Generation

For RSA routines a single “rsa\_key” structure is used. To make a new RSA key call:

```
int rsa_make_key(prng_state *prng,
                 int wprng, int size,
                 long e, rsa_key *key);
```

Where “wprng” is the index into the PRNG descriptor array. “size” is the size in bytes of the RSA modulus desired. “e” is the encryption exponent desired, typical values are 3, 17, 257 and 65537. I suggest you stick with 65537 since its big enough to prevent trivial math attacks and not super slow. “key” is where the key is placed. All keys must be at least 128 bytes and no more than 512 bytes in size (*that is from 1024 to 4096 bits*).

Note that the “rsa\_make\_key()” function allocates memory at runtime when you make the key. Make sure to call “rsa\_free()” (see below) when you are finished with the key. If “rsa\_make\_key()” fails it will automatically free the ram allocated itself.

There are two types of RSA keys. The types are **PK\_PRIVATE** and **PK\_PUBLIC**. The first type is a private RSA key which includes the CRT parameters<sup>1</sup> in the form of a RSAPrivatekey. The second type is a public RSA key which only includes the modulus and public exponent. It takes the form of a RSAPublickey.

### 7.4.3 RSA Exponentiation

To do raw work with the RSA function call:

```
int rsa_exptmod(const unsigned char *in, unsigned long inlen,
                 unsigned char *out, unsigned long *outlen,
                 int which, prng_state *prng, int prng_idx,
                 rsa_key *key);
```

This loads the bignum from “in” as a big endian word in the format PKCS specifies, raises it to either “e” or “d” and stores the result in “out” and the size of the result in “outlen”. “which” is set to **PK\_PUBLIC** to use “e” (i.e. for encryption/verifying) and set to **PK\_PRIVATE** to use “d” as the exponent (i.e. for decrypting/signing).

Note that the output of his function is zero-padded as per PKCS #1 specifications. This allows this routine to interoprate with PKCS #1 padding functions properly.

---

<sup>1</sup>As of v0.99 the **PK\_PRIVATE\_OPTIMIZED** type has been deprecated and has been replaced by the **PK\_PRIVATE** type.

#### 7.4.4 RSA Key Encryption

Normally RSA is used to encrypt short symmetric keys which are then used in block ciphers to encrypt a message. To facilitate encrypting short keys the following functions have been provided.

```
int rsa_encrypt_key(const unsigned char *in, unsigned long inlen,
                    unsigned char *out, unsigned long *outlen,
                    const unsigned char *lparam, unsigned long lparamlen,
                    prng_state *prng, int prng_idx, int hash_idx, rsa_key *key);
```

This function will OAEP pad “in” of length inlen bytes then RSA encrypt it and store the ciphertext in “out” of length “outlen”. The “lparam” and “lparamlen” are the same parameters you would pass to pkcs\_1\_oaep\_encode().

```
int rsa_decrypt_key(const unsigned char *in, unsigned long inlen,
                    unsigned char *out, unsigned long *outlen,
                    const unsigned char *lparam, unsigned long lparamlen,
                    int hash_idx, int *stat,
                    rsa_key *key);
```

This function will RSA decrypt “in” of length “inlen” then OAEP depad the resulting data and store it in “out” of length “outlen”. The “lparam” and “lparamlen” are the same parameters you would pass to pkcs\_1\_oaep\_decode().

If the RSA decrypted data isn’t a valid OAEP packet then “stat” is set to 0. Otherwise, it is set to 1.

#### 7.4.5 RSA Hash Signatures

Similar to RSA key encryption RSA is also used to “digitally sign” message digests (hashes). To facilitate this process the following functions have been provided.

```
int rsa_sign_hash(const unsigned char *in, unsigned long inlen,
                  unsigned char *out, unsigned long *outlen,
                  prng_state *prng, int prng_idx,
                  int hash_idx, unsigned long saltlen,
                  rsa_key *key);
```

This will PSS encode the message hash “in” of length “inlen”. Next the PSS encoded message will be RSA “signed” and the output is stored in “out” of length “outlen”.

```
int rsa_verify_hash(const unsigned char *sig, unsigned long siglen,
                    const unsigned char *msghash, unsigned long msghashlen,
                    int hash_idx, unsigned long saltlen,
                    int *stat, rsa_key *key);
```

This will RSA “verify” the signature in “sig” of length “siglen”. Next the RSA decoded data is PSS decoded and the extracted hash is compared against the message hash “msghash” of length “msghashlen”.

If the RSA decoded data is not a valid PSS message or if the PSS decoded hash does not match the “msghash” the value “res” is set to 0. Otherwise, if the function succeeds and signature is valid “res” is set to 1.

```

#include <tomcrypt.h>
int main(void)
{
    int             err, hash_idx, prng_idx, res;
    unsigned long 11, 12;
    unsigned char  pt[16], pt2[16], out[1024];
    rsa_key        key;

    /* register prng/hash */
    if (register_prng(&sprng_desc) == -1) {
        printf("Error registering sprng");
        return EXIT_FAILURE;
    }

    /* register a math library (in this case TomFastMath)
     ltc_mp = tfm_desc;

    if (register_hash(&sha1_desc) == -1) {
        printf("Error registering sha1");
        return EXIT_FAILURE;
    }
    hash_idx = find_hash("sha1");
    prng_idx = find_prng("sprng");

    /* make an RSA-1024 key */
    if ((err = rsa_make_key(NULL,      /* PRNG state */
                           prng_idx, /* PRNG idx */
                           1024/8,   /* 1024-bit key */
                           65537,   /* we like e=65537 */
                           &key))    /* where to store the key */
        ) != CRYPT_OK) {
        printf("rsa_make_key %s", error_to_string(err));
        return EXIT_FAILURE;
    }

    /* fill in pt[] with a key we want to send ... */
    l1 = sizeof(out);
    if ((err = rsa_encrypt_key(pt,      /* data we wish to encrypt */
                           16,        /* data is 16 bytes long */
                           out,       /* where to store ciphertext */
                           &l1,       /* length of ciphertext */
                           "TestApp", /* our lparam for this program */
                           7,         /* lparam is 7 bytes long */
                           NULL,      /* PRNG state */
                           prng_idx, /* prng idx */
                           hash_idx, /* hash idx */
                           &key))    /* our RSA key */
        ) != CRYPT_OK) {
        printf("rsa_encrypt_key %s", error_to_string(err));
        return EXIT_FAILURE;
    }
}

```

```

}

/* now let's decrypt the encrypted key */
12 = sizeof(pt2);
if ((err = rsa_decrypt_key(out, /* encrypted data */
                           11, /* length of ciphertext */
                           pt2, /* where to put plaintext */
                           &12, /* plaintext length */
                           "TestApp", /* lparam for this program */
                           7, /* lparam is 7 bytes long */
                           hash_idx, /* hash idx */
                           &res, /* validity of data */
                           &key) /* our RSA key */

) != CRYPT_OK) {
    printf("rsa_decrypt_key %s", error_to_string(err));
    return EXIT_FAILURE;
}
/* if all went well pt == pt2, 12 == 16, res == 1 */
}

```

#### 7.4.6 RSA Key Export

To export a RSA key use the following function.

```
int rsa_export(unsigned char *out, unsigned long *outlen, int type, rsa_key *key);
```

This will export the RSA key in either a RSAPublicKey or RSAPrivatekey (PKCS #1 types) depending on the value of “type”. When it is set to **PK\_PRIVATE** the export format will be RSAPrivatekey and otherwise it will be RSAPublickey.

#### 7.4.7 RSA Key Import

To import a RSA key use the following function.

```
int rsa_import(const unsigned char *in, unsigned long inlen, rsa_key *key);
```

This will import the key stored in “inlen” and import it to “key”. If the function fails it will automatically free any allocated memory. This function can import both RSAPublickey and RSAPrivatekey formats.

As of v1.06 this function can also import OpenSSL DER formatted public RSA keys. They are essentially encapsulated RSAPublicKeys. LibTomCrypt will import the key, strip off the additional data (it’s the preferred hash) and fill in the rsa\_key structure as if it were a native RSAPublickey. Note that there is no function provided to export in this format.



# Chapter 8

# Elliptic Curve Cryptography

## 8.1 Background

The library provides a set of core ECC functions as well that are designed to be the Elliptic Curve analogy of all of the Diffie-Hellman routines in the previous chapter. Elliptic curves (of certain forms) have the benefit that they are harder to attack (no sub-exponential attacks exist unlike normal DH crypto) in fact the fastest attack requires the square root of the order of the base point in time. That means if you use a base point of order  $2^{192}$  (which would represent a 192-bit key) then the work factor is  $2^{96}$  in order to find the secret key.

The curves in this library are taken from the following website:

<http://csrc.nist.gov/cryptval/dss.htm>

They are all curves over the integers modulo a prime. The curves have the basic equation that is:

$$y^2 = x^3 - 3x + b \pmod{p} \quad (8.1)$$

The variable  $b$  is chosen such that the number of points is nearly maximal. In fact the order of the base points  $\beta$  provided are very close to  $p$  that is  $|\varphi(\beta)| \sim |p|$ . The curves range in order from  $\sim 2^{192}$  points to  $\sim 2^{521}$ . According to the source document any key size greater than or equal to 256-bits is sufficient for long term security.

## 8.2 Key Format

LibTomCrypt uses its own format for ECC public and private keys. While ANSI X9.62 partially specifies key formats (it covers public keys) it does it in a less than ideally simple manner. In the case of LibTomCrypt it is meant **solely** for NIST  $GF(p)$  curves. The format of the keys is as follows:

```
ECCPublicKey ::= SEQUENCE {
    flags      BIT STRING(1), -- public/private flag (always zero),
```

```

keySize      INTEGER,          -- Curve size (in bits) divided by eight
             -- and rounded down, e.g. 521 => 65
pubkey.x    INTEGER,          -- The X co-ordinate of the public key point
pubkey.y    INTEGER,          -- The Y co-ordinate of the public key point
}

ECCPrivateKey ::= SEQUENCE {
    flags      BIT STRING(1), -- public/private flag (always one),
    keySize    INTEGER,          -- Curve size (in bits) divided by eight
             -- and rounded down, e.g. 521 => 65
    pubkey.x  INTEGER,          -- The X co-ordinate of the public key point
    pubkey.y  INTEGER,          -- The Y co-ordinate of the public key point
    secret.k   INTEGER,          -- The secret key scalar
}

```

The first flags bit denotes whether the key is public (zero) or private (one).

## 8.3 Core Functions

### 8.3.1 ECC Key Generation

There is a key structure called “ecc\_key” used by the ECC functions. There is a function to make a key:

```
int ecc_make_key(prng_state *prng, int wprng,
                 int keysize, ecc_key *key);
```

The “keysize” is the size of the modulus in bytes desired. Currently directly supported values are 24, 28, 32, 48 and 65 bytes which correspond to key sizes of 192, 224, 256, 384 and 521 bits respectively. If you pass a key size that is between any key size it will round the keysize up to the next available one. To free the ram allocated by a ecc\_make\_key() or ecc\_import() call use the following function.

```
void ecc_free(ecc_key *key);
```

### 8.3.2 ECC Key Export

To export an ECC key.

```
int ecc_export(unsigned char *out, unsigned long *outlen,
              int type, ecc_key *key);
```

This will export the key with the given “type” (**PK\_PUBLIC** or **PK\_PRIVATE**) and store it to “out”.

### 8.3.3 ECC Key Import

```
int ecc_import(const unsigned char *in, unsigned long inlen, ecc_key *key);
```

This will import the ECC key from “in” and store it in the ecc\_key structure “key”. If the operation fails it will free any allocated memory automatically.

### 8.3.4 ECC Shared Secret

Finally when you share your public key you can make a shared secret with the following.

```
int ecc_shared_secret(ecc_key *private_key,
                      ecc_key *public_key,
                      unsigned char *out, unsigned long *outlen);
```

The “private\_key” is your own key and “public\_key” is the key the other user sent you. Note that this function stores only the  $x$  co-ordinate of the shared elliptic point as described in ANSI X9.63 ECC-DH.

## 8.4 ECC Diffie-Hellman Encryption

Similar to the RSA API there are two functions which encrypt and decrypt symmetric keys using the ECC public key algorithms.

```
int ecc_encrypt_key(const unsigned char *in,    unsigned long inlen,
                    unsigned char *out,   unsigned long *outlen,
                    prng_state *prng,   int wprng, int hash,
                    ecc_key *key);
```

Where “in” is an input symmetric key of no more than 64 bytes. This function creates a random public key and computes the hash of the shared secret. The message digest is then XOR’ed against the symmetric key. All of the required data is placed in “out” by “ecc\_encrypt\_key()”. The hash chosen must produce a message digest at least as large as the symmetric key you are trying to share.

The data is encrypted to the public ECC “key” such that only the holder of the private key can decrypt the payload. If you want to have multiple recipients you will have to call this function for each public ECC key you want to encrypt to.

```
int ecc_decrypt_key(const unsigned char *in,    unsigned long inlen,
                    unsigned char *out,   unsigned long *outlen,
                    ecc_key *key);
```

This function will decrypt an encrypted payload. The “key” provided must be the private key corresponding to the public key used during encryption. If the wrong key is provided the function won’t specifically return an error code. It is important to use some form of challenge response in that case (e.g. compute a MAC of a known string).

### 8.4.1 Encrypt Encryption Format

The packet format for the encrypted keys is the following ASN.1 SEQUENCE:

```
ECCEncrypt ::= SEQUENCE {
    hashID      OBJECT IDENTIFIER, -- OID of hash used
    pubkey      OCTET STRING      , -- Encapsulated ECCPublicKey (see above)
    skey        OCTET STRING      -- xor of plaintext and "hash of shared secret"
}
```

## 8.5 ECC DSA Signatures

There are also functions to sign and verify the hash of a message.

```
int ecc_sign_hash(const unsigned char *in, unsigned long inlen,
                  unsigned char *out, unsigned long *outlen,
                  prng_state *prng, int wprng, ecc_key *key);
```

This function will EC-DSA sign the message digest stored in the buffer “in” of length inlen octets. The signature will be stored in the “out” buffer of length “outlen”. The function requires a properly seeded PRNG and the ECC “key” provided must be a private key.

```
int ecc_verify_hash(const unsigned char *sig, unsigned long siglen,
                    const unsigned char *hash, unsigned long hashlen,
                    int *stat, ecc_key *key);
```

This function will verify the EC-DSA signature in “sig” of length “siglen” against the message digest “hash”. It will store a non-zero value in “stat” if the signature is valid. Note that the function will not return an error if the signature is invalid. It will if the actual signature payload is an invalid format. They ECC “key” must be the public (or private) ECC key corresponding to the key that performed the signature.

### 8.5.1 Signature Format

The signature code is an implementation of X9.62 EC-DSA and the output is conformant for GF(p) curves.

## 8.6 ECC Keysizes

With ECC if you try and sign a hash that is bigger than your ECC key you can run into problems. The math will still work and in effect the signature will still work. With ECC keys the strength of the signature is limited by the size of the hash or the size of the key, whichever is smaller. For example, if you sign with SHA256 and an ECC-192 key in effect you have 96-bits of security.

The library will not warn you if you make this mistake so it is important to check yourself before using the signatures.

# Chapter 9

# Digital Signature Algorithm

## 9.1 Introduction

The Digital Signature Algorithm (or DSA) is a variant of the ElGamal Signature scheme which has been modified to reduce the bandwidth of a signature. For example, to have “80-bits of security” with ElGamal you need a group of order at least 1024-bits. With DSA you need a group of order at least 160-bits. By comparison the ElGamal signature would require at least 256 bytes where as the DSA signature would require only at least 40 bytes.

The API for the DSA is essentially the same as the other PK algorithms. Except in the case of DSA no encryption or decryption routines are provided.

## 9.2 Key Format

Since no useful public standard for DSA key storage was presented to me during the course of this development I made my own ASN.1 SEQUENCE which I document now so that others can interoperate with this library.

```
DSAPublicKey ::= SEQUENCE {
    publicFlags    BIT STRING(1), -- must be 0
    g              INTEGER      , -- base generator, check that g^q mod p == 1
                                -- and that 1 < g < p - 1
    p              INTEGER      , -- prime modulus
    q              INTEGER      , -- order of sub-group (must be prime)
    y              INTEGER      , -- public key, specifically, g^x mod p,
                                -- check that y^q mod p == 1
                                -- and that 1 < y < p - 1
}
DSAPrivateKey ::= SEQUENCE {
    publicFlags    BIT STRING(1), -- must be 1
    g              INTEGER      , -- base generator, check that g^q mod p == 1
                                -- and that 1 < g < p - 1
    p              INTEGER      , -- prime modulus
    q              INTEGER      , -- order of sub-group (must be prime)
```

```

y           INTEGER      , -- public key, specifically,  $g^x \bmod p$ ,
            -- check that  $y^q \bmod p == 1$ 
            -- and that  $1 < y < p - 1$ 
x           INTEGER      -- private key
}

```

The leading BIT STRING has a single bit in it which is zero for public keys and one for private keys. This makes the structure uniquely decodable and easy to work with.

### 9.3 Key Generation

To make a DSA key you must call the following function

```
int dsa_make_key(prng_state *prng, int wprng,
                  int group_size, int modulus_size,
                  dsa_key *key);
```

The variable “prng” is an active PRNG state and “wprng” the index to the descriptor. “group\_size” and “modulus\_size” control the difficulty of forging a signature. Both parameters are in bytes. The larger the “group\_size” the more difficult a forgery becomes upto a limit. The value of *group\_size* is limited by  $15 < \text{group\_size} < 1024$  and  $\text{modulus\_size} - \text{group\_size} < 512$ . Suggested values for the pairs are as follows.

Bits of Security	group_size	modulus_size
80	20	128
120	30	256
140	35	384
160	40	512

When you are finished with a DSA key you can call the following function to free the memory used.

```
void dsa_free(dsa_key *key);
```

### 9.4 Key Verification

Each DSA key is composed of the following variables.

1.  $q$  a small prime of magnitude  $256^{\text{group\_size}}$ .
2.  $p = qr + 1$  a large prime of magnitude  $256^{\text{modulus\_size}}$  where  $r$  is a random even integer.
3.  $g = h^r \pmod{p}$  a generator of order  $q$  modulo  $p$ .  $h$  can be any non-trivial random value. For this library they start at  $h = 2$  and step until  $g$  is not 1.
4.  $x$  a random secret (the secret key) in the range  $1 < x < q$
5.  $y = g^x \pmod{p}$  the public key.

A DSA key is considered valid if it passes all of the following tests.

1.  $q$  must be prime.
2.  $p$  must be prime.
3.  $g$  cannot be one of  $\{-1, 0, 1\}$  (modulo  $p$ ).
4.  $g$  must be less than  $p$ .
5.  $(p - 1) \equiv 0 \pmod{q}$ .
6.  $g^q \equiv 1 \pmod{p}$ .
7.  $1 < y < p - 1$
8.  $y^q \equiv 1 \pmod{p}$ .

Tests one and two ensure that the values will at least form a field which is required for the signatures to function. Tests three and four ensure that the generator  $g$  is not set to a trivial value which would make signature forgery easier. Test five ensures that  $q$  divides the order of multiplicative sub-group of  $\mathbb{Z}/p\mathbb{Z}$ . Test six ensures that the generator actually generates a prime order group. Tests seven and eight ensure that the public key is within range and belongs to a group of prime order. Note that test eight does not prove that  $g$  generated  $y$  only that  $y$  belongs to a multiplicative sub-group of order  $q$ .

The following function will perform these tests.

```
int dsa_verify_key(dsa_key *key, int *stat);
```

This will test “key” and store the result in “stat”. If the result is  $stat = 0$  the DSA key failed one of the tests and should not be used at all. If the result is  $stat = 1$  the DSA key is valid (as far as valid mathematics are concerned).

## 9.5 Signatures

### 9.5.1 Signature Generation

To generate a DSA signature call the following function

```
int dsa_sign_hash(const unsigned char *in, unsigned long inlen,
                  unsigned char *out, unsigned long *outlen,
                  prng_state *prng, int wprng, dsa_key *key);
```

Which will sign the data in “in” of length “inlen” bytes. The signature is stored in “out” and the size of the signature in “outlen”. If the signature is longer than the size you initially specify in “outlen” nothing is stored and the function returns an error code. The DSA “key” must be of the **PK\_PRIVATE** persuasion.

### 9.5.2 Signature Verification

To verify a hash created with that function use the following function

```
int dsa_verify_hash(const unsigned char *sig, unsigned long siglen,
                    const unsigned char *hash, unsigned long inlen,
                    int *stat, dsa_key *key);
```

Which will verify the data in “hash” of length “inlen” against the signature stored in “sig” of length “siglen”. It will set “stat” to 1 if the signature is valid, otherwise it sets “stat” to 0.

## 9.6 DSA Encrypt and Decrypt

As of version 1.07 the DSA keys can be used to encrypt and decrypt small payloads. It works similar to the ECC encryption where a shared key is computed and the hash of the shared key xor’ed against the plaintext forms the ciphertext.

### 9.6.1 DSA Encryption

This function will encrypt a small payload with a recipients public DSA key.

```
int dsa_encrypt_key(const unsigned char *in, unsigned long inlen,
                     unsigned char *out, unsigned long *outlen,
                     prng_state *prng, int wprng, int hash,
                     dsa_key *key);
```

This will encrypt the payload in “in” of length “inlen” and store the ciphertext in the output buffer “out”. The length of the ciphertext “outlen” must be originally set to the length of the output buffer. The DSA “key” can be a public key.

### 9.6.2 DSA Decryption

```
int dsa_decrypt_key(const unsigned char *in, unsigned long inlen,
                     unsigned char *out, unsigned long *outlen,
                     dsa_key *key);
```

This will decrypt the ciphertext “in” of length “inlen” and store the original payload in “out” of length “outlen”. The DSA “key” must be a private key.

## 9.7 Import and Export

To export a DSA key so that it can be transported use the following function

```
int dsa_export(unsigned char *out, unsigned long *outlen,
               int type,
               dsa_key *key);
```

This will export the DSA “key” to the buffer “out” and set the length in “outlen” (which must have been previously initialized to the maximum buffer size). The “type” variable may be either **PK\_PRIVATE** or **PK\_PUBLIC** depending on whether you want to export a private or public copy of the DSA key.

To import an exported DSA key use the following function

```
int dsa_import(const unsigned char *in, unsigned long inlen,  
               dsa_key *key);
```

This will import the DSA key from the buffer “in” of length “inlen” to the “key”. If the process fails the function will automatically free all of the heap allocated in the process (you don’t have to call `dsa_free()`).



# Chapter 10

# Standards Support

## 10.1 ASN.1 Formats

LibTomCrypt supports a variety of ASN.1 data types encoded with the Distinguished Encoding Rules (DER) suitable for various cryptographic protocols. The data types are all provided with three basic functions with *similar* prototypes. One function has been dedicated to calculate the length in octets of a given format and two functions have been dedicated to encoding and decoding the format.

On top of the basic data types are the SEQUENCE and<sup>1</sup> SET data types which are collections of other ASN.1 types. They are provided in the same manner as the other data types except they use list of objects known as the `ltc_asn1_list` structure. It is defined as

```
typedef struct {
    int             type;
    void           *data;
    unsigned long   size;
    int             used;
    struct ltc_asn1_list_ *prev, *next,
                        *child, *parent;
} ltc_asn1_list;
```

The “type” field is one of the following ASN.1 field definitions. The “data” pointer is a void pointer to the data to be encoded (or the destination) and the “size” field is specific to what you are encoding (e.g. number of bits in the BIT STRING data type). The “used” field is primarily for the CHOICE decoder and reflects if the particular member of a list was the decoded data type. To help build the lists in an orderly fashion the macro “`LTC_SET ASN1(list, index, Type, Data, Size)`” has been provided.

It will assign to the “index”th position in the “list” the tripplet (Type, Data, Size). An example usage would be:

```
...
ltc_asn1_list  sequence[3];
```

---

<sup>1</sup>Planned for LTC 1.06

```

unsigned long    three=3;

LTC_SET ASN1(sequence, 0, LTC ASN1 IA5 STRING,    "hello", 5);
LTC_SET ASN1(sequence, 1, LTC ASN1 SHORT INTEGER, &three, 1);
LTC_SET ASN1(sequence, 2, LTC ASN1 NULL,           NULL, 0);

```

The macro is relatively safe with respect to modifying variables, for instance the following code is equivalent.

```

...
ltc_asn1_list    sequence[3];
unsigned long    three=3;
int              x=0;
LTC_SET ASN1(sequence, x++, LTC ASN1 IA5 STRING,    "hello", 5);
LTC_SET ASN1(sequence, x++, LTC ASN1 SHORT INTEGER, &three, 1);
LTC_SET ASN1(sequence, x++, LTC ASN1 NULL,           NULL, 0);

```

Definition	ASN.1 Type
LTC ASN1 EOL	End of a ASN.1 list structure.
LTC ASN1 INTEGER	INTEGER (uses mp_int)
LTC ASN1 SHORT INTEGER	INTEGER (32-bit using unsigned long)
LTC ASN1 BIT STRING	BIT STRING (one bit per char)
LTC ASN1 OCTET STRING	OCTET STRING (one octet per char)
LTC ASN1 NULL	NULL
LTC ASN1 OBJECT IDENTIFIER	OBJECT IDENTIFIER (words are in unsigned long)
LTC ASN1 IA5 STRING	IA5 STRING (one octet per char)
LTC ASN1 PRINTABLE STRING	PRINTABLE STRING (one octet per char)
LTC ASN1 UTCTIME	UTCTIME (see ltc_utctime structure)
LTC ASN1 SEQUENCE	SEQUENCE OF
LTC ASN1 CHOICE	CHOICE

Figure 10.1: List of ASN.1 Supported Types

### 10.1.1 SEQUENCE Type

The SEQUENCE data type is a collection of other ASN.1 data types encapsulated with a small header which is a useful way of sending multiple data types in one packet.

#### SEQUENCE Encoding

To encode a sequence a **ltc\_asn1\_list** array must be initialized with the members of the sequence and their respective pointers. The encoding is performed with the following function.

```

int der_encode_sequence(ltc_asn1_list *list, unsigned long inlen,
                      unsigned char *out, unsigned long *outlen);

```

This encodes a sequence of items pointed to by “list” where the list has “inlen” items in it. The SEQUENCE will be encoded to “out” and of length “outlen”.

The function will terminate when it reads all the items out of the list (upto “inlen”) or it encounters an item in the list with a type of **LTC ASN1 EOL**.

The “data” pointer in the list would be the same pointer you would pass to the respective ASN.1 encoder (e.g. `der_encode_bit_string()`) and it is simply passed on verbatim to the dependent encoder. The list can contain other SEQUENCE or SET types which enables you to have nested SEQUENCE and SET definitions. In these cases the “data” pointer is simply a pointer to another `ltc_asn1_list`.

### SEQUENCE Decoding

Decoding a SEQUENCE is similar to encoding. You set up an array of `ltc_asn1_list` where in this case the “size” member is the maximum size (in certain cases). For types such as IA5 STRING, BIT STRING, OCTET STRING (etc) the “size” field is updated after successful decoding to reflect how many units of the respective type has been loaded.

```
int der_decode_sequence(const unsigned char *in,    unsigned long inlen,
                      ltc_asn1_list *list, unsigned long outlen);
```

This will decode upto “outlen” items from the input buffer “in” of length “inlen” octets. The function will stop (gracefully) when it runs out of items to decode. It will fail (for among other reasons) when it runs out of input bytes to read, a data type is invalid or a heap failure occured.

For the following types the “size” field will be updated to reflect the number of units read of the given type.

1. BIT STRING
2. OCTET STRING
3. OBJECT IDENTIFIER
4. IA5 STRING
5. PRINTABLE STRING

### SEQUENCE Length

The length of a SEQUENCE can be determined with the following function.

```
int der_length_sequence(ltc_asn1_list *list, unsigned long inlen,
                      unsigned long *outlen);
```

This will get the encoding size for the given “list” of length “inlen” and store it in “outlen”.

### SEQUENCE Multiple Argument Lists

For small or simple sequences an encoding or decoding can be performed with one of the following two functions.

```
int der_encode_sequence_multi(unsigned char *out, unsigned long *outlen, ...);
int der_decode_sequence_multi(const unsigned char *in, unsigned long inlen, ...);
```

These either encode or decode (respectively) a SEQUENCE data type where the items in the sequence are specified after the length parameter.

The list of items are specified as a triple of the form “(type, size, data)” where “type” is an **int**, “size” is a **unsigned long** and “data” is **void** pointer. The list of items must be terminated with an item with the type **LTC ASN1 EOL**.

It’s ideal that you cast the “size” values to **unsigned long** to ensure that the proper data type is passed to the function. Constants such as “1” without a cast or prototype are of type **int** by default. Appending *UL* or prepending (*unsigned long*) is enough to cast it to the correct type.

### 10.1.2 ASN.1 INTEGER

To encode or decode INTEGER data types use the following functions.

```
int der_encode_integer(mp_int *num, unsigned char *out, unsigned long *outlen);
int der_decode_integer(const unsigned char *in, unsigned long inlen, mp_int *num);
int der_length_integer(mp_int *num, unsigned long *len);
```

These will encode or decode a signed INTEGER data type using the “**mp\_int**” data type to store the large INTEGER. To encode smaller values without allocating an **mp\_int** to store the value the “short” INTEGER functions were made available.

```
int der_encode_short_integer(unsigned long num,
                            unsigned char *out, unsigned long *outlen);

int der_decode_short_integer(const unsigned char *in, unsigned long inlen,
                            unsigned long *num);

int der_length_short_integer(unsigned long num, unsigned long *outlen);
```

These will encode or decode an unsigned **unsigned long** type (only reads upto 32-bits). For values in the range  $0 \dots 2^{32} - 1$  the integer and short integer functions can encode and decode each others outputs.

### 10.1.3 ASN.1 BIT STRING

```
int der_encode_bit_string(const unsigned char *in, unsigned long inlen,
                         unsigned char *out, unsigned long *outlen);

int der_decode_bit_string(const unsigned char *in, unsigned long inlen,
                         unsigned char *out, unsigned long *outlen);

int der_length_bit_string(unsigned long nbits, unsigned long *outlen);
```

These will encode or decode a BIT STRING data type. The bits are passed in (or read out) using one **char** per bit. A non-zero value will be interpreted as a one bit and a zero value a zero bit.

### 10.1.4 ASN.1 OCTET STRING

```
int der_encode_octet_string(const unsigned char *in, unsigned long inlen,
                           unsigned char *out, unsigned long *outlen);

int der_decode_octet_string(const unsigned char *in, unsigned long inlen,
                           unsigned char *out, unsigned long *outlen);

int der_length_octet_string(unsigned long noctets, unsigned long *outlen);
```

These will encode or decode an OCTET STRING data type. The octets are stored using one **char** each.

### 10.1.5 ASN.1 OBJECT IDENTIFIER

```
int der_encode_object_identifier(unsigned long *words, unsigned long nwords,
                                unsigned char *out, unsigned long *outlen);

int der_decode_object_identifier(const unsigned char *in, unsigned long inlen,
                                unsigned long *words, unsigned long *outlen);

int der_length_object_identifier(unsigned long *words, unsigned long nwords,
                                unsigned long *outlen);
```

These will encode or decode an OBJECT IDENTIFIER object. The words of the OID are stored in individual **unsigned long** elements and must be in the range  $0 \dots 2^{32} - 1$ .

### 10.1.6 ASN.1 IA5 STRING

```
int der_encode_ia5_string(const unsigned char *in, unsigned long inlen,
                          unsigned char *out, unsigned long *outlen);

int der_decode_ia5_string(const unsigned char *in, unsigned long inlen,
                          unsigned char *out, unsigned long *outlen);

int der_length_ia5_string(const unsigned char *octets, unsigned long noctets,
                          unsigned long *outlen);
```

These will encode or decode an IA5 STRING. The characters are read or stored in individual **char** elements. This functions performs internal character to numerical conversions based on the conventions of the compiler being used. For instance, on an x86\_32 machine 'A' == 65 but the same may not be true on say a SPARC machine. Internally these functions have a table of literal characters and their numerical ASCII values. This provides a stable conversion provided that the build platform honours the runtime platforms character conventions.

If you're worried try building the test suite and running it. It has hard coded test vectors to ensure it is operating properly.

### 10.1.7 ASN.1 PRINTABLE STRING

```
int der_encode_printable_string(const unsigned char *in, unsigned long inlen,
                                unsigned char *out, unsigned long *outlen);

int der_decode_printable_string(const unsigned char *in, unsigned long inlen,
                                unsigned char *out, unsigned long *outlen);

int der_length_printable_string(const unsigned char *octets, unsigned long noctets,
                                unsigned long *outlen);
```

These will encode or decode an PRINTABLE STRING. The characters are read or stored in individual **char** elements. This functions performs internal character to numerical conversions based on the conventions of the compiler being used. For instance, on an x86\_32 machine 'A' == 65 but the same may not be true on say a SPARC machine. Internally these functions have a table of literal characters and their numerical ASCII values. This provides a stable conversion provided that the build platform honours the runtime platforms character conventions.

If you're worried try building the test suite and running it. It has hard coded test vectors to ensure it is operating properly.

### 10.1.8 ASN.1 UTCTIME

The UTCTIME type is to store a date and time in ASN.1 format. It uses the following structure to organize the time.

```
typedef struct {
    unsigned YY, /* year    00--99 */
            MM, /* month   01--12 */
            DD, /* day     01--31 */
            hh, /* hour    00--23 */
            mm, /* minute  00--59 */
            ss, /* second  00--59 */
            off_dir, /* timezone offset direction 0 == +, 1 == - */
            off_hh, /* timezone offset hours */
            off_mm; /* timezone offset minutes */
} ltc_utctime;
```

The time can be offset plus or minus a set amount of hours (off\_hh) and minutes (off\_mm). When "off\_dir" is zero the time will be added otherwise it will be subtracted.

For instance, the array {5,6,20,22,4,00,0,5,0} represents the current time of 2005, June 20th, 22:04:00 with a time offset of +05h00.

```
int der_encode_utctime(ltc_utctime *utctime,
                      unsigned char *out,   unsigned long *outlen);

int der_decode_utctime(const unsigned char *in, unsigned long *inlen,
                      ltc_utctime *out);

int der_length_utctime(ltc_utctime *utctime, unsigned long *outlen);
```

The encoder will store time in one of the two ASN.1 formats, either “YYM-MDDhhmmssZ” or “YYMMDDhhmmss±hhmm” and perform minimal error checking on the input. The decoder will read all valid ASN.1 formats and perform range checking on the values (not complete but rational) useful for catching packet errors.

It is suggested that decoded data be further scrutinized (e.g. days of month in particular).

### 10.1.9 ASN.1 CHOICE

The CHOICE ASN.1 type represents a union of ASN.1 types all of which are stored in a “ltc\_asn1\_list”. There is no encoder for the CHOICE type, only a decoder. The decoder will scan through the provided list attempting to use the appropriate decoder on the input packet. The list can contain any ASN.1 data type<sup>2</sup> except for other CHOICE types.

There is no encoder for the CHOICE type as the actual DER encoding is the encoding of the chosen type.

```
int der_decode_choice(const unsigned char *in, unsigned long *inlen,
                      ltc_asn1_list *list, unsigned long outlen);
```

This will decode the input in the “in” field of length “inlen”. It uses the provided ASN.1 list specified in the “list” field which has “outlen” elements. The “inlen” field will be updated with the length of the decoded data type as well as the respective entry in the “list” field will have the “used” flag set to non-zero to reflect it was the data type decoded.

### 10.1.10 ASN.1 Flexi Decoder

The ASN.1 “flexi” decoder allows the developer to decode arbitrary ASN.1 DER packets (provided they use data types LibTomCrypt supports) without first knowing the structure of the data. Where der\_decode\_sequence() requires the developer to specify the data types to decode in advance the flexi decoder is entirely free form.

The flexi decoder uses the same “ltc\_asn1\_list” but instead of being stored in an array it uses the linked list pointers “prev”, “next”, “parent” and “child”. The list works as a “doubly-linked list” structure where decoded items at the same level are sibblings (using next and prev) and items encoded in a SEQUENCE are stored as a child element.

When a SEQUENCE has been encountered a SEQUENCE item is added as a sibling (e.g. list.type == LTC ASN1 SEQUENCE) and the child pointer points to a new list of items contained within the sequence<sup>3</sup>.

```
int der_decode_sequence_flexi(const unsigned char *in, unsigned long *inlen,
                             ltc_asn1_list **out);
```

This will decode items in the “in” buffer of max input length “inlen” and store the newly created pointer to the list in “out”. This function allocates all

---

<sup>2</sup>Except it cannot have LTC ASN1 INTEGER and LTC ASN1 SHORT INTEGER simultaneously.

<sup>3</sup>The same will be true for the SET data type when I eventually support it.

required memory for the decoding. It stores the number of octets read back into “inlen”.

The function will terminate when either it hits an invalid ASN.1 type octet or it reads “inlen” octets. An early terminate is a soft error and returns normally. The decoded list “out” will point to the very first element of the list (e.g. both parent and prev pointers will be **NULL**).

An invalid decoding will terminate the process and free the allocated memory automatically.

**Note** that the list decoded by this function is **NOT** in the correct form for `der_encode_sequence()` to use directly. You will have to first have to convert the list by first storing all of the sibblings in an array then storing all the children as sub-lists of a sequence using the “.data” pointer. Currently no function in LibTomCrypt provides this ability.

To free the list use the following function.

```
void der_sequence_free(ltc_asn1_list *in);
```

This will free all of the memory allocated by `der_decode_sequence_flexi()`.

## 10.2 Password Based Cryptography

### 10.2.1 PKCS #5

In order to securely handle user passwords for the purposes of creating session keys and chaining IVs the PKCS #5 was drafted. PKCS #5 is made up of two algorithms, Algorithm One and Algorithm Two. Algorithm One is the older fairly limited algorithm which has been implemented for completeness. Algorithm Two is a bit more modern and more flexible to work with.

### 10.2.2 Algorithm One

Algorithm One accepts as input a password, an 8-byte salt and an iteration counter. The iteration counter is meant to act as delay for people trying to brute force guess the password. The higher the iteration counter the longer the delay. This algorithm also requires a hash algorithm and produces an output no longer than the output of the hash.

```
int pkcs_5_alg1(const unsigned char *password, unsigned long password_len,
                 const unsigned char *salt,
                 int iteration_count, int hash_idx,
                 unsigned char *out, unsigned long *outlen)
```

Where “password” is the users password. Since the algorithm allows binary passwords you must also specify the length in “password\_len”. The “salt” is a fixed size 8-byte array which should be random for each user and session. The “iteration\_count” is the delay desired on the password. The “hash\_idx” is the index of the hash you wish to use in the descriptor table.

The output of length upto “outlen” is stored in “out”. If “outlen” is initially larger than the size of the hash functions output it is set to the number of bytes stored. If it is smaller than not all of the hash output is stored in “out”.

### 10.2.3 Algorithm Two

Algorithm Two is the recommended algorithm for this task. It allows variable length salts and can produce outputs larger than the hash functions output. As such it can easily be used to derive session keys for ciphers and MACs as well initial vectors as required from a single password and invokation of this algorithm.

```
int pkcs_5_alg2(const unsigned char *password, unsigned long password_len,
                 const unsigned char *salt,           unsigned long salt_len,
                 int iteration_count,               int hash_idx,
                 unsigned char *out,                unsigned long *outlen)
```

Where “password” is the users password. Since the algorithm allows binary passwords you must also specify the length in “password\_len”. The “salt” is an array of size “salt\_len”. It should be random for each user and session. The “iteration\_count” is the delay desired on the password. The “hash\_idx” is the index of the hash you wish to use in the descriptor table. The output of length upto “outlen” is stored in “out”.

```
/* demo to show how to make session state material from a password */
#include <tomcrypt.h>
int main(void)
{
    unsigned char password[100], salt[100],
                cipher_key[16], cipher_iv[16],
                mac_key[16], outbuf[48];
    int         err, hash_idx;
    unsigned long outlen, password_len, salt_len;

    /* register hash and get it's idx .... */

    /* get users password and make up a salt ... */

    /* create the material (100 iterations in algorithm) */
    outlen = sizeof(outbuf);
    if ((err = pkcs_5_alg2(password, password_len, salt, salt_len,
                           100, hash_idx, outbuf, &outlen)) != CRYPT_OK) {
        /* error handle */
    }

    /* now extract it */
    memcpy(cipher_key, outbuf, 16);
    memcpy(cipher_iv,  outbuf+16, 16);
    memcpy(mac_key,   outbuf+32, 16);

    /* use material (recall to store the salt in the output) */
}
```



# Chapter 11

## Miscellaneous

### 11.1 Base64 Encoding and Decoding

The library provides functions to encode and decode a RFC1521 base64 coding scheme. This means that it can decode what it encodes but the format used does not comply to any known standard. The characters used in the mappings are:

```
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
```

Those characters should be supported in virtually any 7-bit ASCII system which means they can be used for transport over common e-mail, usenet and HTTP mediums. The format of an encoded stream is just a literal sequence of ASCII characters where a group of four represent 24-bits of input. The first four chars of the encoders output is the length of the original input. After the first four characters is the rest of the message.

Often it is desirable to line wrap the output to fit nicely in an e-mail or usenet posting. The decoder allows you to put any character (that is not in the above sequence) in between any character of the encoders output. You may not however, break up the first four characters.

To encode a binary string in base64 call:

```
int base64_encode(const unsigned char *in, unsigned long len,
                  unsigned char *out, unsigned long *outlen);
```

Where “in” is the binary string and “out” is where the ASCII output is placed. You must set the value of “outlen” prior to calling this function and it sets the length of the base64 output in “outlen” when it is done. To decode a base64 string call:

```
int base64_decode(const unsigned char *in, unsigned long len,
                  unsigned char *out, unsigned long *outlen);
```

### 11.2 Primality Testing

The library includes primality testing and random prime functions as well. The primality tester will perform the test in two phases. First it will perform trial

division by the first few primes. Second it will perform eight rounds of the Rabin-Miller primality testing algorithm. If the candidate passes both phases it is declared prime otherwise it is declared composite. No prime number will fail the two phases but composites can. Each round of the Rabin-Miller algorithm reduces the probability of a pseudo-prime by  $\frac{1}{4}$  therefore after sixteen rounds the probability is no more than  $(\frac{1}{4})^8 = 2^{-16}$ . In practice the probability of error is in fact much lower than that.

When making random primes the trial division step is in fact an optimized implementation of “Implementation of Fast RSA Key Generation on Smart Cards”<sup>1</sup>. In essence a table of machine-word sized residues are kept of a candidate modulo a set of primes. When the candidate is rejected and ultimately incremented to test the next number the residues are updated without using multi-word precision math operations. As a result the routine can scan ahead to the next number required for testing with very little work involved.

In the event that a composite did make it through it would most likely cause the the algorithm trying to use it to fail. For instance, in RSA two primes  $p$  and  $q$  are required. The order of the multiplicative sub-group (modulo  $pq$ ) is given as  $\varphi(pq)$  or  $(p - 1)(q - 1)$ . The decryption exponent  $d$  is found as  $de \equiv 1 \pmod{\varphi(pq)}$ . If either  $p$  or  $q$  is composite the value of  $d$  will be incorrect and the user will not be able to sign or decrypt messages at all. Suppose  $p$  was prime and  $q$  was composite this is just a variation of the multi-prime RSA. Suppose  $q = rs$  for two primes  $r$  and  $s$  then  $\varphi(pq) = (p - 1)(r - 1)(s - 1)$  which clearly is not equal to  $(p - 1)(rs - 1)$ .

These are not technically part of the LibTomMath library but this is the best place to document them. To test if a “mp\_int” is prime call:

```
int is_prime(mp_int *N, int *result);
```

This puts a one in “result” if the number is probably prime, otherwise it places a zero in it. It is assumed that if it returns an error that the value in “result” is undefined. To make a random prime call:

```
int rand_prime(mp_int *N, unsigned long len, prng_state *prng, int wprng);
```

Where “len” is the size of the prime in bytes ( $2 \leq len \leq 256$ ). You can set “len” to the negative size you want to get a prime of the form  $p \equiv 3 \pmod{4}$ . So if you want a 1024-bit prime of this sort pass “len = -128” to the function. Upon success it will return **CRYPT\_OK** and “N” will contain an integer which is very likely prime.

---

<sup>1</sup>Chenghuai Lu, Andre L. M. dos Santos and Francisco R. Pimentel

## Chapter 12

# Programming Guidelines

### 12.1 Secure Pseudo Random Number Generators

Probably the single most vulnerable point of any cryptosystem is the PRNG. Without one generating and protecting secrets would be impossible. The requirement that one be setup correctly is vitally important and to address this point the library does provide two RNG sources that will address the largest amount of end users as possible. The “sprng” PRNG provided provides an easy to access source of entropy for any application on a \*NIX or Windows computer.

However, when the end user is not on one of these platforms the application developer must address the issue of finding entropy. This manual is not designed to be a text on cryptography. I would just like to highlight that when you design a cryptosystem make sure the first problem you solve is getting a fresh source of entropy.

### 12.2 Preventing Trivial Errors

Two simple ways to prevent trivial errors is to prevent overflows and to check the return values. All of the functions which output variable length strings will require you to pass the length of the destination. If the size of your output buffer is smaller than the output it will report an error. Therefore, make sure the size you pass is correct!

Also virtually all of the functions return an error code or **CRYPT\_OK**. You should detect all errors as simple typos or such can cause algorithms to fail to work as desired.

### 12.3 Registering Your Algorithms

To avoid linking and other runtime errors it is important to register the ciphers, hashes and PRNGs you intend to use before you try to use them. This includes any function which would use an algorithm indirectly through a descriptor table.

A neat bonus to the registry system is that you can add external algorithms that are not part of the library without having to hack the library. For example, suppose you have a hardware specific PRNG on your system. You could easily write the few functions required plus a descriptor. After registering your PRNG all of the library functions that need a PRNG can instantly take advantage of it.

## 12.4 Key Sizes

### 12.4.1 Symmetric Ciphers

For symmetric ciphers use as large as of a key as possible. For the most part “bits are cheap” so using a 256-bit key is not a hard thing to do.

### 12.4.2 Assymmetric Ciphers

The following chart gives the work factor for solving a DH/RSA public key using the NFS. The work factor for a key of order  $n$  is estimated to be

$$e^{1.923 \cdot \ln(n)^{\frac{1}{3}} \cdot \ln(\ln(n))^{\frac{2}{3}}} \quad (12.1)$$

Note that  $n$  is not the bit-length but the magnitude. For example, for a 1024-bit key  $n = 2^{1024}$ . The work required is:

RSA/DH Key Size (bits)	Work Factor ( $\log_2$ )
512	63.92
768	76.50
1024	86.76
1536	103.37
2048	116.88
2560	128.47
3072	138.73
4096	156.49

The work factor for ECC keys is much higher since the best attack is still fully exponential. Given a key of magnitude  $n$  it requires  $\sqrt{n}$  work. The following table summarizes the work required:

ECC Key Size (bits)	Work Factor ( $\log_2$ )
192	96
224	112
256	128
384	192
511	260.5

Using the above tables the following suggestions for key sizes seems appropriate:

Security Goal	RSA/DH Key Size (bits)	ECC Key Size (bits)
Short term (less than a year)	1024	160
Short term (less than five years)	1536	192
Long Term (less than ten years)	2560	256

## 12.5 Thread Safety

The library is not thread safe but several simple precautions can be taken to avoid any problems. The registry functions such as `register_cipher()` are not thread safe no matter what you do. Its best to call them from your programs initialization code before threads are initiated.

The rest of the code uses state variables you must pass it such as `hash_state`, `hmac_state`, etc. This means that if each thread has its own state variables then they will not affect each other. This is fairly simple with symmetric ciphers and hashes. However, the keyring and PRNG support is something the threads will want to share. The simplest workaround is create semaphores or mutexes around calls to those functions.

Since C does not have standard semaphores this support is not native to Libtomcrypt. Even a C based semaphore is not entirely possible as some compilers may ignore the “volatile” keyword or have multiple processors. Provide your host application is modular enough putting the locks in the right place should not bloat the code significantly and will solve all thread safety issues within the library.



# Chapter 13

# Configuring and Building the Library

## 13.1 Introduction

The library is fairly flexible about how it can be built, used and generally distributed. Additions are being made with each new release that will make the library even more flexible. Each of the classes of functions can be disabled during the build process to make a smaller library. This is particularly useful for shared libraries.

As of v1.06 of the library the build process has been moved to two steps for the typical LibTomCrypt application. This is because LibTomCrypt no longer provides a math API on its own and relies on third party libraries (such as LibTomMath or TomsFastMath).

The build process now consists of installing a math library first then building and installing LibTomCrypt with a math library configured. Note that LibTomCrypt can be built with no internal math descriptors. This means that one must be provided at either build or run time for the application. LibTomCrypt comes with two math descriptors that provide a standard interface to math libraries. One for LibTomMath and one for TomsFastMath.

## 13.2 Makefile variables

All GNU driven makefiles (including the makefile for ICC) use a set of common variables to control the build and install process. Most of the settings can be overwritten from the command line which makes custom installation a breeze.

### 13.2.1 MAKE, CC and AR

The MAKE, CC and AR flags can all be overwritten. They default to “make”, “\$CC” and “\$AR” respectively.

Changing MAKE allows you to change what program will be invoked to handle sub-directories. E.g.

```
MAKE=gmake gmake install
```

Will build and install the libraries with the “gmake” tool. Similarly

```
CC=arm-gcc AR=arm-ar make
```

Will build the library using “arm-gcc” as the compiler and “arm-ar” as the archiver.

### 13.2.2 IGNORE\_SPEED

When **IGNORE\_SPEED** has been defined the default optimization flags for **CFLAGS** will be disabled which allows the developer to specify new **CFLAGS** on the command line. E.g. to add debugging

```
CFLAGS="-g3" make IGNORE_SPEED=1
```

This will turn off optimizations and add “-g3” to the **CFLAGS** which enables debugging.

### 13.2.3 LIBNAME and LIBNAME\_S

**LIBNAME** is the name of the output library (archive) to create. It defaults to “libtomcrypt.a” for static builds and “libtomcrypt.la” for shared. The **LIBNAME\_S** variable is the static name while doing shared builds. Ideally they should have the same prefix but don’t have to.

Similarly **LIBTEST** and **LIBTEST\_S** are the names for the profiling and testing library. The default is “libtomcrypt\_prof.a” for static and “libtomcrypt\_prof.la” for shared.

### 13.2.4 Installation Directories

**DESTDIR** is the prefix for the installation directories. It defaults to an empty string. **LIBPATH** is the prefix for the library directory which defaults to “/usr/lib”. **INCPATH** is the prefix for the header file directory which defaults to “/usr/include”. **DATADIR** is the prefix for the data (documentation) directory which defaults to “/usr/share/doc/libtomcrypt/pdf”.

All four can be used to create custom install locations depending on the nature of the OS and file system in use.

```
make LIBPATH=/home/tom/project/lib INCPATH=/home/tom/project/include \
DATAPATH=/home/tom/project/docs install
```

This will build the library and install it to the directories under “/home/tom/project/”. e.g.

```
/home/tom/project/:
total 1
drwxr-xr-x  2 tom users  80 Jul 30 16:02 docs
drwxr-xr-x  2 tom users 528 Jul 30 16:02 include
drwxr-xr-x  2 tom users  80 Jul 30 16:02 lib

/home/tom/project/docs:
total 452
```

```
-rwxr-xr-x 1 tom users 459009 Jul 30 16:02 crypt.pdf

/home/tom/project/include:
total 132
-rwxr-xr-x 1 tom users 2482 Jul 30 16:02 tomcrypt.h
-rwxr-xr-x 1 tom users 702 Jul 30 16:02 tomcrypt_argchk.h
-rwxr-xr-x 1 tom users 2945 Jul 30 16:02 tomcrypt_cfg.h
-rwxr-xr-x 1 tom users 22763 Jul 30 16:02 tomcrypt_cipher.h
-rwxr-xr-x 1 tom users 5174 Jul 30 16:02 tomcrypt_custom.h
-rwxr-xr-x 1 tom users 11314 Jul 30 16:02 tomcrypt_hash.h
-rwxr-xr-x 1 tom users 11571 Jul 30 16:02 tomcrypt_mac.h
-rwxr-xr-x 1 tom users 13614 Jul 30 16:02 tomcrypt_macros.h
-rwxr-xr-x 1 tom users 14714 Jul 30 16:02 tomcrypt_math.h
-rwxr-xr-x 1 tom users 632 Jul 30 16:02 tomcrypt_misc.h
-rwxr-xr-x 1 tom users 10934 Jul 30 16:02 tomcrypt_pk.h
-rwxr-xr-x 1 tom users 2634 Jul 30 16:02 tomcrypt_pkcs.h
-rwxr-xr-x 1 tom users 7067 Jul 30 16:02 tomcrypt_prng.h
-rwxr-xr-x 1 tom users 1467 Jul 30 16:02 tomcrypt_test.h

/home/tom/project/lib:
total 1073
-rwxr-xr-x 1 tom users 1096284 Jul 30 16:02 libtomcrypt.a
```

### 13.3 Extra libraries

**EXTRALIBS** specifies any extra libraries required to link the test programs and shared libraries. They are specified in the notation that GCC expects for global archives.

```
CFLAGS="-DTFM_DESC -DUSE_TFM" EXTRALIBS=-ltfm make install test timing
```

This will install the library using the TomsFastMath library and link the “libtfm.a” library out of the default library search path. The two defines are explained below. You can specify multiple archives (say if you want to support two math libraries, or add on additional code) to the **EXTRALIBS** variable by separating them by a space.

Note that **EXTRALIBS** is not required if you are only making and installing the static library but none of the test programs.

### 13.4 Building a Static Library

Building a static library is fairly trivial as it only requires one invocation of the GNU make command.

```
CFLAGS="-DTFM_DESC" make install
```

That will build LibTomCrypt (including the TomsFastMath descriptor) and install it in the default locations indicated previously. You can enable the built-in LibTomMath descriptor as well (or in place of the TomsFastMath descriptor). Similarly you can build the library with no built-in math descriptors.

```
make install
```

In this case no math descriptors are present in the library and they will have to be made available at build or run time before you can use any of the public key functions.

Note that even if you include the built-in descriptors you must link against the source library as well.

```
gcc -DTFM_DESC myprogram.c -ltomcrypt -ltfm -o myprogram
```

This will compile “myprogram” and link it against the LibTomCrypt library as well as TomsFastMath (which must have been previously installed). Note that we define **TFM\_DESC** for compilation. This is so that the TFM descriptor symbol will be defined for the client application to make use of without giving warnings.

## 13.5 Building a Shared Library

LibTomCrypt can also be built as a shared library through the “makefile.shared” make script. It is similar to use as the static script except that you **must** specify the **EXTRALIBS** variable at install time.

```
CFLAGS="-DTFM_DESC" EXTRALIBS=-ltfm make -f makefile.shared install
```

This will build and install the library and link the shared object against the TomsFastMath library (which must be installed as a shared object as well). The shared build process requires libtool to be installed.

## 13.6 tomcrypt\_cfg.h

The file “tomcrypt\_cfg.h” is what lets you control various high level macros which control the behaviour of the library.

### ARGTYPE

This lets you control how the **\_ARGCHK** macro will behave. The macro is used to check pointers inside the functions against **NULL**. There are three settings for **ARGTYPE**. When set to 0 it will have the default behaviour of printing a message to **stderr** and raising a **SIGABRT** signal. This is provided so all platforms that use libtomcrypt can have an error that functions similarly. When set to 1 it will simply pass on to the **assert()** macro. When set to 2 the macro will display the error to **stderr** then return execution to the caller. This could lead to a segmentation fault (e.g. when a pointer is **NULL**) but is useful if you handle signals on your own. When set to 3 it will resolve to an empty macro and no error checking will be performed.

### Endianess

There are five macros related to endianess issues. For little endian platforms define, **ENDIAN\_LITTLE**. For big endian platforms define **ENDIAN\_BIG**. Similarly when the default word size of an “unsigned long” is 32-bits define

**ENDIAN\_32BITWORD** or define **ENDIAN\_64BITWORD** when its 64-bits. If you do not define any of them the library will automatically use **ENDIAN\_NEUTRAL** which will work on all platforms.

Currently LibTomCrypt will detect x86-32, x86-64, MIPS R5900, SPARC and SPARC64 running GCC as well as x86-32 running MSVC.

## 13.7 The Configure Script

There are also options you can specify from the configure script or “tomcrypt\_custom.h”.

### 13.7.1 X memory routines

At the top of tomcrypt\_custom.h are four macros denoted as XMALLOC, XCALLOC, XREALLOC and XFREE which resolve to the name of the respective functions. This lets you substitute in your own memory routines. If you substitute in your own functions they must behave like the standard C library functions in terms of what they expect as input and output. By default the library uses the standard C routines.

### 13.7.2 X clock routines

The rng\_get\_bytes() function can call a function that requires the clock() function. These macros let you override the default clock() used with a replacement. By default the standard C library clock() function is used.

### 13.7.3 NO\_FILE

During the build if NO\_FILE is defined then any function in the library that uses file I/O will not call the file I/O functions and instead simply return CRYPT\_NOP. This should help resolve any linker errors stemming from a lack of file I/O on embedded platforms.

### 13.7.4 CLEAN\_STACK

When this functions is defined the functions that store key material on the stack will clean up afterwards. Assumes that you have no memory paging with the stack.

### 13.7.5 LTC\_TEST

When this has been defined the various self-test functions (for ciphers, hashes, prngs, etc) are included in the build. When this has been undefined the tests are removed and if called will return CRYPT\_NOP.

### 13.7.6 Symmetric Ciphers, One-way Hashes, PRNGs and Public Key Functions

There are a plethora of macros for the ciphers, hashes, PRNGs and public key functions which are fairly self-explanatory. When they are defined the

functionality is included otherwise it is not. There are some dependency issues which are noted in the file. For instance, Yarrow requires CTR chaining mode, a block cipher and a hash function.

Also see technical note number five for more details.

### 13.7.7 TWOFISH\_SMALL and TWOFISH\_TABLES

Twofish is a 128-bit symmetric block cipher that is provided within the library. The cipher itself is flexible enough to allow some tradeoffs in the implementation. When TWOFISH\_SMALL is defined the scheduled symmetric key for Twofish requires only 200 bytes of memory. This is achieved by not pre-computing the substitution boxes. Having this defined will also greatly slow down the cipher. When this macro is not defined Twofish will pre-compute the tables at a cost of 4KB of memory. The cipher will be much faster as a result.

When TWOFISH\_TABLES is defined the cipher will use pre-computed (and fixed in code) tables required to work. This is useful when TWOFISH\_SMALL is defined as the table values are computed on the fly. When this is defined the code size will increase by approximately 500 bytes. If this is defined but TWOFISH\_SMALL is not the cipher will still work but it will not speed up the encryption or decryption functions.

### 13.7.8 GCM\_TABLES

When defined GCM will use a 64KB table (per GCM state) which will greatly speed up the per-packet latency. It also increases the initialization time and isn't suitable when you are going to use a key a few times only.

### 13.7.9 SMALL\_CODE

When this is defined some of the code such as the Rijndael and SAFER+ ciphers are replaced with smaller code variants. These variants are slower but can save quite a bit of code space.

### 13.7.10 LTC\_FAST

This mode (autodetected with x86\_32,x86\_64 platforms with GCC or MSVC) configures various routines such as `ctr_encrypt()` or `cbc_encrypt()` that it can safely XOR multiple octets in one step by using a larger data type. This has the benefit of cutting down the overhead of the respective functions.

This mode does have one downside. It can cause unaligned reads from memory if you are not careful with the functions. This is why it has been enabled by default only for the x86 class of processors where unaligned accesses are allowed. Technically LTC\_FAST is not “portable” since unaligned accesses are not covered by the ISO C specifications.

In practice however, you can use it on pretty much any platform (even MIPS) with care.

By design the “fast” mode functions won’t get unaligned on their own. For instance, if you call `ctr_encrypt()` right after calling `ctr_start()` and all the inputs you gave are aligned than `ctr_encrypt()` will perform aligned memory operations only. However, if you call `ctr_encrypt()` with an odd amount of plaintext then

call it again the CTR pad (the IV) will be partially used. This will cause the ctr routine to first use up the remaining pad bytes. Then if there are enough plaintext bytes left it will use whole word XOR operations. These operations will be unaligned.

The simplest precaution is to make sure you process all data in power of two blocks and handle “remainder” at the end. e.g. If you are CTR’ing a long stream process it in blocks of (say) four kilobytes and handle any remaining incomplete blocks at the end of the stream.

If you do plan on using the “LTC\_FAST” mode you have to also define a “LTC\_FAST\_TYPE” macro which resolves to an optimal sized data type you can perform integer operations with. Ideally it should be four or eight bytes since it must properly divide the size of your block cipher (e.g. 16 bytes for AES). This means sadly if you’re on a platform with 57-bit words (or something) you can’t use this mode. So sad.

### 13.7.11 LTC\_PTHREAD

When this is activated all of the descriptor table functions will use pthread locking to ensure thread safe updates to the tables. Note that it doesn’t prevent a thread that is passively using a table from being messed up by another thread that updates the table.

Generally the rule of thumb is to setup the tables once at startup and then leave them be. This added build flag simply makes updating the tables safer.

### 13.7.12 LTC\_ECC\_TIMING\_RESISTANT

When this has been defined the ECC point multiplier (built-in to the library) will use a timing resistant point multiplication algorithm which prevents leaking key bits of the private key (scalar). It is a slower algorithm but useful for situations where timing side channels pose a significant threat.

### 13.7.13 Math Descriptors

The library comes with two math descriptors that allow you to interface the public key cryptography api to freely available math libraries. In this case LibTomMath and TomsFastMath. When either of **LTM\_DESC** or **TFM\_DESC** are defined descriptors for the respective library are built and included in the library as “ltm\_desc” or “tfm\_desc” respectively.

In the test demos that use the libraries the additional flags **USE\_LTM** and **USE\_TFM** can be defined to tell the program which library to use. They cannot both be defined at once.

```
CFLAGS="-DLTM_DESC -DTFM_DESC -DUSE_TFM" EXTRALIBS="-ltomm -ltfm"
make -f makefile.shared install timing
```

That will build and install the library with both descriptors (and link against both) but then only use TomsFastMath in the timing demo.



# Chapter 14

# Optimizations

## 14.1 Introduction

The entire API was designed with plug and play in mind at the low level. That is you can swap out any cipher, hash or PRNG and dependent API will not require updating. This has the nice benefit that I can add ciphers not have to re-write large portions of the API. For the most part LibTomCrypt has also been written to be highly portable and easy to build out of the box on pretty much any platform. As such there are no assembler inlines throughout the code, I make no assumptions about the platform, etc...

That works well for most cases but there are times where time is of the essence. This API also allows optimized routines to be dropped in-place of the existing portable routines. For instance, hand optimized assembler versions of AES could be provided and any existing function that uses the cipher could automatically use the optimized code without re-writing. This also paves the way for hardware drivers that can access hardware accelerated cryptographic devices.

At the heart of this flexibility is the “descriptor” system. A descriptor is essentially just a C “struct” which describes the algorithm and provides pointers to functions that do the work. For a given class of operation (e.g. cipher, hash, prng) the functions have identical prototypes which makes development simple. In most dependent routines all a developer has to do is register\_XXX() the descriptor and they’re set.

## 14.2 Ciphers

The ciphers in LibTomCrypt are accessed through the ltc\_cipher\_descriptor structure.

```
struct ltc_cipher_descriptor {
    /** name of cipher */
    char *name;
    /** internal ID */
    unsigned char ID;
    /** min keysize (octets) */
    int min_key_length,
```

```

/** max keysize (octets) */
    max_key_length,
/** block size (octets) */
    block_length,
/** default number of rounds */
    default_rounds;
/** Setup the cipher
    @param key          The input symmetric key
    @param keylen       The length of the input key (octets)
    @param num_rounds  The requested number of rounds (0==default)
    @param skey         [out] The destination of the scheduled key
    @return CRYPT_OK if successful
*/
int (*setup)(const unsigned char *key, int keylen, int num_rounds, symmetric_key *skey);
/** Encrypt a block
    @param pt          The plaintext
    @param ct          [out] The ciphertext
    @param skey        The scheduled key
    @return CRYPT_OK if successful
*/
int (*ecb_encrypt)(const unsigned char *pt, unsigned char *ct, symmetric_key *skey);
/** Decrypt a block
    @param ct          The ciphertext
    @param pt          [out] The plaintext
    @param skey        The scheduled key
    @return CRYPT_OK if successful
*/
int (*ecb_decrypt)(const unsigned char *ct, unsigned char *pt, symmetric_key *skey);
/** Test the block cipher
    @return CRYPT_OK if successful, CRYPT_NOP if self-testing has been disabled
*/
int (*test)(void);

/** Terminate the context
    @param skey        The scheduled key
*/
void (*done)(symmetric_key *skey);

/** Determine a key size
    @param keysize     [in/out] The size of the key desired and the suggested size
    @return CRYPT_OK if successful
*/
int (*keysize)(int *keysize);

/** Accelerators */
/** Accelerated ECB encryption
    @param pt          Plaintext
    @param ct          Ciphertext
    @param blocks     The number of complete blocks to process
    @param skey        The scheduled key context
    @return CRYPT_OK if successful
*/
int (*accel_ecb_encrypt)(const unsigned char *pt, unsigned char *ct,
                        unsigned long blocks, symmetric_key *skey);

```

```

/** Accelerated ECB decryption
@param pt      Plaintext
@param ct      Ciphertext
@param blocks The number of complete blocks to process
@param skey    The scheduled key context
@return CRYPT_OK if successful
*/
int (*accel_ecb_decrypt)(const unsigned char *ct, unsigned char *pt,
                        unsigned long blocks, symmetric_key *skey);

/** Accelerated CBC encryption
@param pt      Plaintext
@param ct      Ciphertext
@param blocks The number of complete blocks to process
@param IV     The initial value (input/output)
@param skey    The scheduled key context
@return CRYPT_OK if successful
*/
int (*accel_cbc_encrypt)(const unsigned char *pt,     unsigned char *ct,
                        unsigned long blocks, unsigned char *IV,
                        symmetric_key *skey);

/** Accelerated CBC decryption
@param pt      Plaintext
@param ct      Ciphertext
@param blocks The number of complete blocks to process
@param IV     The initial value (input/output)
@param skey    The scheduled key context
@return CRYPT_OK if successful
*/
int (*accel_cbc_decrypt)(const unsigned char *ct,     unsigned char *pt,
                        unsigned long blocks, unsigned char *IV,
                        symmetric_key *skey);

/** Accelerated CTR encryption
@param pt      Plaintext
@param ct      Ciphertext
@param blocks The number of complete blocks to process
@param IV     The initial value (input/output)
@param mode   little or big endian counter (mode=0 or mode=1)
@param skey    The scheduled key context
@return CRYPT_OK if successful
*/
int (*accel_ctr_encrypt)(const unsigned char *pt,     unsigned char *ct,
                        unsigned long blocks, unsigned char *IV,
                        int mode, symmetric_key *skey);

/** Accelerated CCM packet (one-shot)
@param key      The secret key to use
@param keylen   The length of the secret key (octets)
@param uskey    A previously scheduled key [optional can be NULL]
@param nonce   The session nonce [use once]
@param noncelen The length of the nonce

```

```

@param header      The header for the session
@param headerlen   The length of the header (octets)
@param pt          [out] The plaintext
@param ptlen       The length of the plaintext (octets)
@param ct          [out] The ciphertext
@param tag         [out] The destination tag
@param taglen      [in/out] The max size and resulting size of the authentication tag
@param direction   Encrypt or Decrypt direction (0 or 1)
@return CRYPT_OK if successful
*/
int (*accel_ccm_memory)(
    const unsigned char *key,      unsigned long keylen,
    symmetric_key           *uskey,
    const unsigned char *nonce,    unsigned long noncelen,
    const unsigned char *header,   unsigned long headerlen,
    unsigned char *pt,            unsigned long ptlen,
    unsigned char *ct,
    unsigned char *tag,           unsigned long *taglen,
    int direction);

/** Accelerated GCM packet (one shot)
@param key          The secret key
@param keylen       The length of the secret key
@param IV           The initial vector
@param IVlen        The length of the initial vector
@param adata        The additional authentication data (header)
@param adatalen    The length of the adata
@param pt           The plaintext
@param ptlen        The length of the plaintext (ciphertext length is the same)
@param ct           The ciphertext
@param tag          [out] The MAC tag
@param taglen       [in/out] The MAC tag length
@param direction    Encrypt or Decrypt mode (GCM_ENCRYPT or GCM_DECRYPT)
@return CRYPT_OK on success
*/
int (*accel_gcm_memory)(
    const unsigned char *key,      unsigned long keylen,
    const unsigned char *IV,       unsigned long IVlen,
    const unsigned char *adata,   unsigned long adatalen,
    unsigned char *pt,            unsigned long ptlen,
    unsigned char *ct,
    unsigned char *tag,           unsigned long *taglen,
    int direction);

};


```

### 14.2.1 Name

The “name” parameter specifies the name of the cipher. This is what a developer would pass to `find_cipher()` to find the cipher in the descriptor tables.

### 14.2.2 Internal ID

This is a single byte Internal ID you can use to distinguish ciphers from each other.

### 14.2.3 Key Lengths

The minimum key length is “min\_key\_length” and is measured in octets. Similarly the maximum key length is “max\_key\_length”. They can be equal and both must valid key sizes for the cipher. Values in between are not assumed to be valid though they may be.

### 14.2.4 Block Length

The size of the ciphers plaintext or ciphertext is “block\_length” and is measured in octets.

### 14.2.5 Rounds

Some ciphers allow different number of rounds to be used. Usually you just use the default. The default round count is “default\_rounds”.

### 14.2.6 Setup

To initialize a cipher (for ECB mode) the function `setup()` was provided. It accepts an array of key octets “key” of length “keylen” octets. The user can specify the number of rounds they want through “num\_rounds” where `num_rounds = 0` means use the default. The destination of a scheduled key is stored in “skey”.

Inside the “symmetric\_key” union there is a “void \*data” which you can use to allocate data if you need a data structure that doesn’t fit with the existing ones provided. Just make sure in your “done()” function that you free the allocated memory.

### 14.2.7 Single block ECB

To process a single block in ECB mode the `ecb_encrypt()` and `ecb_decrypt()` functions were provided. The plaintext and ciphertext buffers are allowed to overlap so you must make sure you do not overwrite the output before you are finished with the input.

### 14.2.8 Testing

The `test()` function is used to self-test the “device”. It takes no arguments and returns **CRYPT\_OK** if all is working properly.

### 14.2.9 Key Sizing

Occasionally a function will want to find a suitable key size to use since the input is oddly sized. The `keysize()` function is for this case. It accepts a pointer to an integer which represents the desired size. The function then has to match it to the exact or a lower key size that is valid for the cipher. For example, if

the input is 25 and 24 is valid then it stores 24 back in the pointed to integer. It must not round up and must return an error if the keysize cannot be mapped to a valid key size for the cipher.

### 14.2.10 Acceleration

The next set of functions cover the accelerated functionality of the cipher descriptor. Any combination of these functions may be set to **NULL** to indicate it is not supported. In those cases the software fallbacks are used (using the single ECB block routines).

#### Accelerated ECB

These two functions are meant for cases where a user wants to encrypt (in ECB mode no less) an array of blocks. These functions are accessed through the `accel_ecb_encrypt` and `accel_ecb_decrypt` pointers. The “blocks” count is the number of complete blocks to process.

#### Accelerated CBC

These two functions are meant for accelerated CBC encryption. These functions are accessed through the `accel_cbc_encrypt` and `accel_cbc_decrypt` pointers. The “blocks” value is the number of complete blocks to process. The “IV” is the CBC initial vector. It is an input upon calling this function and must be updated by the function before returning.

#### Accelerated CTR

This function is meant for accelerated CTR encryption. It is accessible through the `accel_ctr_encrypt` pointer. The “blocks” value is the number of complete blocks to process. The “IV” is the CTR counter vector. It is an input upon calling this function and must be updated by the function before returning. The “mode” value indicates whether the counter is big (mode = `CTR_COUNTER_BIG_ENDIAN`) or little (mode = `CTR_COUNTER_LITTLE_ENDIAN`) endian.

This function (and the way it’s called) differs from the other two since `ctr_encrypt()` allows any size input plaintext. The accelerator will only be called if the following conditions are met.

1. The accelerator is present
2. The CTR pad is empty
3. The remaining length of the input to process is greater than or equal to the block size.

The “CTR pad” is empty when a multiple (including zero) blocks of text have been processed. That is, if you pass in seven bytes to AES-CTR mode you would have to pass in a minimum of nine extra bytes before the accelerator could be called. The CTR accelerator must increment the counter (and store it back into the buffer provided) before encrypting it to create the pad.

The accelerator will only be used to encrypt whole blocks. Partial blocks are always handled in software.

### Accelerated CCM

This function is meant for accelerated CCM encryption or decryption. It processes the entire packet in one call. You can optimize the work flow somewhat by allowing the caller to call the setup() function first to schedule the key if your accelerator cannot do the key schedule on the fly (for instance). This function MUST support both key passing methods.

key	uskey	Source of key
NULL	NULL	Error, not supported
non-NULL	NULL	Use key, do a key schedule
NULL	non-NULL	Use uskey, key schedule not required
non-NULL	non-NULL	Use uskey, key schedule not required

### Accelerated GCM

This function is meant for accelerated GCM encryption or decryption. It processes the entire packet in one call. Note that the setup() function will not be called prior to this. This function must handle scheduling the key provided on its own.

## 14.3 One-Way Hashes

The hash functions are accessed through the ltc\_hash\_descriptor structure.

```
struct ltc_hash_descriptor {
    /** name of hash */
    char *name;
    /** internal ID */
    unsigned char ID;
    /** Size of digest in octets */
    unsigned long hashsize;
    /** Input block size in octets */
    unsigned long blocksize;
    /** ASN.1 OID */
    unsigned long OID[16];
    /** Length of DER encoding */
    unsigned long OIDlen;
    /** Init a hash state
        @param hash    The hash to initialize
        @return CRYPT_OK if successful
    */
    int (*init)(hash_state *hash);
    /** Process a block of data
        @param hash    The hash state
        @param in      The data to hash
        @param inlen   The length of the data (octets)
        @return CRYPT_OK if successful
    */
    int (*process)(hash_state *hash, const unsigned char *in, unsigned long inlen);
    /** Produce the digest and store it
        @param hash    The hash state
        @param out     [out] The destination of the digest
    */
};
```

```

    @return CRYPT_OK if successful
*/
int (*done)(hash_state *hash, unsigned char *out);
/** Self-test
    @return CRYPT_OK if successful, CRYPT_NOP if self-tests have been disabled
*/
int (*test)(void);
/* accelerated hmac callback: if you need to-do multiple packets just use the
   generic hmac_memory and provide a hash callback */
int (*hmac_block)(const unsigned char *key, unsigned long keylen,
                   const unsigned char *in, unsigned long inlen,
                   unsigned char *out, unsigned long *outlen);
};


```

#### 14.3.1 Name

This is the name the hash is known by and what `find_hash()` will look for.

#### 14.3.2 Internal ID

This is the internal ID byte used to distinguish the hash from other hashes.

#### 14.3.3 Digest Size

The “hashsize” variable indicates the length of the output in octets.

#### 14.3.4 Block Size

The “blocksize” variable indicates the length of input (in octets) that the hash processes in a given invocation.

#### 14.3.5 OID Identifier

This is the universal ASN.1 Object Identifier for the hash.

#### 14.3.6 Initialization

The `init` function initializes the hash and prepares it to process message bytes.

#### 14.3.7 Process

This processes message bytes. The algorithm must accept any length of input that the hash would allow. The input is not guaranteed to be a multiple of the block size in length.

#### 14.3.8 Done

The `done` function terminates the hash and returns the message digest.

### 14.3.9 Acceleration

A compatible accelerator must allow processing data in any granularity which may require internal padding on the driver side.

### 14.3.10 HMAC Acceleration

The `hmac_block()` callback is meant for single-shot optimized HMAC implementations. It is called directly by `hmac_memory()` if present. If you need to be able to process multiple blocks per MAC then you will have to simply provide a `process()` callback and use `hmac_memory()` as provided in LibTomCrypt.

## 14.4 Pseudo-Random Number Generators

The pseudo-random number generators are accessible through the `ltc_prng_descriptor` structure.

```
struct ltc_prng_descriptor {
    /** Name of the PRNG */
    char *name;
    /** size in bytes of exported state */
    int export_size;
    /** Start a PRNG state
        @param prng  [out] The state to initialize
        @return CRYPT_OK if successful
    */
    int (*start)(prng_state *prng);
    /** Add entropy to the PRNG
        @param in      The entropy
        @param inlen   Length of the entropy (octets) \
        @param prng    The PRNG state
        @return CRYPT_OK if successful
    */
    int (*add_entropy)(const unsigned char *in, unsigned long inlen, prng_state *prng);
    /** Ready a PRNG state to read from
        @param prng    The PRNG state to ready
        @return CRYPT_OK if successful
    */
    int (*ready)(prng_state *prng);
    /** Read from the PRNG
        @param out     [out] Where to store the data
        @param outlen  Length of data desired (octets)
        @param prng    The PRNG state to read from
        @return Number of octets read
    */
    unsigned long (*read)(unsigned char *out, unsigned long outlen, prng_state *prng);
    /** Terminate a PRNG state
        @param prng    The PRNG state to terminate
        @return CRYPT_OK if successful
    */
    int (*done)(prng_state *prng);
    /** Export a PRNG state
        @param out     [out] The destination for the state
    */
};
```

```

@param outlen  [in/out] The max size and resulting size of the PRNG state
@param prng    The PRNG to export
@return CRYPT_OK if successful
*/
int (*pexport)(unsigned char *out, unsigned long *outlen, prng_state *prng);
/** Import a PRNG state
@param in      The data to import
@param inlen   The length of the data to import (octets)
@param prng    The PRNG to initialize/import
@return CRYPT_OK if successful
*/
int (*pimport)(const unsigned char *in, unsigned long inlen, prng_state *prng);
/** Self-test the PRNG
@return CRYPT_OK if successful, CRYPT_NOP if self-testing has been disabled
*/
int (*ptest)(void);
};

```

#### 14.4.1 Name

The name by which `find_prng()` will find the PRNG.

#### 14.4.2 Export Size

When an PRNG state is to be exported for future use you specify the space required in this variable.

#### 14.4.3 Start

Initialize the PRNG and make it ready to accept entropy.

#### 14.4.4 Entropy Addition

Add entropy to the PRNG state. The exact behaviour of this function depends on the particulars of the PRNG.

#### 14.4.5 Ready

This function makes the PRNG ready to read from by processing the entropy added. The behaviour of this function depends on the specific PRNG used.

#### 14.4.6 Read

Read from the PRNG and return the number of bytes read. This function does not have to fill the buffer but it is best if it does as many protocols do not retry reads and will fail on the first try.

#### 14.4.7 Done

Terminate a PRNG state. The behaviour of this function depends on the particular PRNG used.

#### 14.4.8 Exporting and Importing

An exported PRNG state is data that the PRNG can later import to resume activity. They're not meant to resume "the same session" but should at least maintain the same level of state entropy.

### 14.5 BigNum Math Descriptors

The library also makes use of the math descriptors to access math functions. While bignum math libraries usually differ in implementation it hasn't proven hard to write "glue" to use math libraries so far. The basic descriptor looks like.

```
/** math descriptor */
typedef struct {
    /** Name of the math provider */
    char *name;

    /** Bits per digit, amount of bits must fit in an unsigned long */
    int bits_per_digit;

/* ---- init/deinit functions ---- */

    /** initialize a bignum
        @param a      The number to initialize
        @return CRYPT_OK on success
    */
    int (*init)(void **a);

    /** init copy
        @param dst    The number to initialize and write to
        @param src    The number to copy from
        @return CRYPT_OK on success
    */
    int (*init_copy)(void **dst, void *src);

    /** deinit
        @param a      The number to free
        @return CRYPT_OK on success
    */
    void (*deinit)(void *a);

/* ---- data movement ---- */

    /** copy
        @param src    The number to copy from
        @param dst    The number to write to
        @return CRYPT_OK on success
    */
    int (*copy)(void *src, void *dst);

/* ---- trivial low level functions ---- */
```

```

/** set small constant
 *param a    Number to write to
 *param n    Source upto bits_per_digit (actually meant for very small constants)
 *return CRYPT_OK on success
*/
int (*set_int)(void *a, unsigned long n);

/** get small constant
 *param a    Number to read, only fetches upto bits_per_digit from the number
 *return The lower bits_per_digit of the integer (unsigned)
*/
unsigned long (*get_int)(void *a);

/** get digit n
 *param a    The number to read from
 *param n    The number of the digit to fetch
 *return The bits_per_digit sized n'th digit of a
*/
unsigned long (*get_digit)(void *a, int n);

/** Get the number of digits that represent the number
 *param a    The number to count
 *return The number of digits used to represent the number
*/
int (*get_digit_count)(void *a);

/** compare two integers
 *param a    The left side integer
 *param b    The right side integer
 *return LTC_MP_LT if a < b,
 *        LTC_MP_GT if a > b and
 *        LTC_MP_EQ otherwise. (signed comparison)
*/
int (*compare)(void *a, void *b);

/** compare against int
 *param a    The left side integer
 *param b    The right side integer (upto bits_per_digit)
 *return LTC_MP_LT if a < b,
 *        LTC_MP_GT if a > b and
 *        LTC_MP_EQ otherwise. (signed comparison)
*/
int (*compare_d)(void *a, unsigned long n);

/** Count the number of bits used to represent the integer
 *param a    The integer to count
 *return The number of bits required to represent the integer
*/
int (*count_bits)(void * a);

/** Compute a power of two
 *param a    The integer to store the power in
 *param n    The power of two you want to store (a = 2^n)
 *return CRYPT_OK on success
*/

```

```

*/
int (*twoexpt)(void *a , int n);

/* ---- radix conversions ---- */

/** read ascii string
 @param a      The integer to store into
 @param str    The string to read
 @param radix The radix the integer has been represented in (2-64)
 @return CRYPT_OK on success
*/
int (*read_radix)(void *a, const char *str, int radix);

/** write number to string
 @param a      The integer to store
 @param str   The destination for the string
 @param radix The radix the integer is to be represented in (2-64)
 @return CRYPT_OK on success
*/
int (*write_radix)(void *a, char *str, int radix);

/** get size as unsigned char string
 @param a      The integer to get the size (when stored in array of octets)
 @return The length of the integer
*/
unsigned long (*unsigned_size)(void *a);

/** store an integer as an array of octets
 @param src    The integer to store
 @param dst    The buffer to store the integer in
 @return CRYPT_OK on success
*/
int (*unsigned_write)(void *src, unsigned char *dst);

/** read an array of octets and store as integer
 @param dst    The integer to load
 @param src    The array of octets
 @param len    The number of octets
 @return CRYPT_OK on success
*/
int (*unsigned_read)(void *dst, unsigned char *src, unsigned long len);

/* ---- basic math ---- */

/** add two integers
 @param a      The first source integer
 @param b      The second source integer
 @param c      The destination of "a + b"
 @return CRYPT_OK on success
*/
int (*add)(void *a, void *b, void *c);

/** add two integers
 @param a      The first source integer

```

```

@param b    The second source integer (single digit of upto bits_per_digit in length)
@param c    The destination of "a + b"
@return CRYPT_OK on success
*/
int (*addi)(void *a, unsigned long b, void *c);

/** subtract two integers
@param a    The first source integer
@param b    The second source integer
@param c    The destination of "a - b"
@return CRYPT_OK on success
*/
int (*sub)(void *a, void *b, void *c);

/** subtract two integers
@param a    The first source integer
@param b    The second source integer (single digit of upto bits_per_digit in length)
@param c    The destination of "a - b"
@return CRYPT_OK on success
*/
int (*subi)(void *a, unsigned long b, void *c);

/** multiply two integers
@param a    The first source integer
@param b    The second source integer (single digit of upto bits_per_digit in length)
@param c    The destination of "a * b"
@return CRYPT_OK on success
*/
int (*mul)(void *a, void *b, void *c);

/** multiply two integers
@param a    The first source integer
@param b    The second source integer (single digit of upto bits_per_digit in length)
@param c    The destination of "a * b"
@return CRYPT_OK on success
*/
int (*muli)(void *a, unsigned long b, void *c);

/** Square an integer
@param a    The integer to square
@param b    The destination
@return CRYPT_OK on success
*/
int (*sqr)(void *a, void *b);

/** Divide an integer
@param a    The dividend
@param b    The divisor
@param c    The quotient (can be NULL to signify don't care)
@param d    The remainder (can be NULL to signify don't care)
@return CRYPT_OK on success
*/
int (*div)(void *a, void *b, void *c, void *d);

```

```

/** divide by two
@param a The integer to divide (shift right)
@param b The destination
@return CRYPT_OK on success
*/
int (*div_2)(void *a, void *b);

/** Get remainder (small value)
@param a The integer to reduce
@param b The modulus (upto bits_per_digit in length)
@param c The destination for the residue
@return CRYPT_OK on success
*/
int (*modi)(void *a, unsigned long b, unsigned long *c);

/** gcd
@param a The first integer
@param b The second integer
@param c The destination for (a, b)
@return CRYPT_OK on success
*/
int (*gcd)(void *a, void *b, void *c);

/** lcm
@param a The first integer
@param b The second integer
@param c The destination for [a, b]
@return CRYPT_OK on success
*/
int (*lcm)(void *a, void *b, void *c);

/** Modular multiplication
@param a The first source
@param b The second source
@param c The modulus
@param d The destination (a*b mod c)
@return CRYPT_OK on success
*/
int (*mulmod)(void *a, void *b, void *c, void *d);

/** Modular inversion
@param a The value to invert
@param b The modulus
@param c The destination (1/a mod b)
@return CRYPT_OK on success
*/
int (*invmod)(void *, void *, void *);

/* ---- reduction ---- */

/** setup montgomery
@param a The modulus
@param b The destination for the reduction digit
@return CRYPT_OK on success
*/

```

```

*/
int (*montgomery_setup)(void *a, void **b);

/** get normalization value
@param a The destination for the normalization value
@param b The modulus
@return CRYPT_OK on success
*/
int (*montgomery_normalization)(void *a, void *b);

/** reduce a number
@param a The number [and dest] to reduce
@param b The modulus
@param c The value "b" from montgomery_setup()
@return CRYPT_OK on success
*/
int (*montgomery_reduce)(void *a, void *b, void *c);

/** clean up (frees memory)
@param a The value "b" from montgomery_setup()
@return CRYPT_OK on success
*/
void (*montgomery_deinit)(void *a);

/* ---- exponentiation ---- */

/** Modular exponentiation
@param a The base integer
@param b The power (can be negative) integer
@param c The modulus integer
@param d The destination
@return CRYPT_OK on success
*/
int (*exptmod)(void *a, void *b, void *c, void *d);

/** Primality testing
@param a The integer to test
@param b The destination of the result (FP_YES if prime)
@return CRYPT_OK on success
*/
int (*isprime)(void *a, int *b);

/* ---- (optional) ecc point math ---- */

/** ECC GF(p) point multiplication (from the NIST curves)
@param k The integer to multiply the point by
@param G The point to multiply
@param R The destination for kG
@param modulus The modulus for the field
@param map Boolean indicated whether to map back to affine or not (can be
           ignored if you work in affine only)
@return CRYPT_OK on success
*/
int (*ecc_ptmul)(void *k, ecc_point *G, ecc_point *R, void *modulus, int map);

```

```

/** ECC GF(p) point addition
@param P      The first point
@param Q      The second point
@param R      The destination of P + Q
@param modulus The modulus
@param mp     The "b" value from montgomery_setup()
@return CRYPT_OK on success
*/
int (*ecc_ptadd)(ecc_point *P, ecc_point *Q, ecc_point *R, void *modulus, void *mp);

/** ECC mapping from projective to affine, currently uses (x,y,z) => (x/z^2, y/z^3, 1)
@param P      The point to map
@param modulus The modulus
@param mp     The "b" value from montgomery_setup()
@return CRYPT_OK on success
@remark The mapping can be different but keep in mind a ecc_point only has
        three integers (x,y,z) so if you use a different mapping you have to make it fit.
*/
int (*ecc_map)(ecc_point *P, void *modulus, void *mp);

/* ---- (optional) rsa optimized math (for internal CRT) ---- */

/** RSA Key Generation
@param prng     An active PRNG state
@param wprng    The index of the PRNG desired
@param size     The size of the modulus (key size) desired (octets)
@param e        The "e" value (public key). e==65537 is a good choice
@param key      [out] Destination of a newly created private key pair
@return CRYPT_OK if successful, upon error all allocated ram is freed
*/
int (*rsa_keygen)(prng_state *prng, int wprng, int size, long e, rsa_key *key);

/** RSA exponentiation
@param in       The octet array representing the base
@param inlen    The length of the input
@param out      The destination (to be stored in an octet array format)
@param outlen   The length of the output buffer and the resulting size (zero padded to the
               size of the modulus)
@param which   PK_PUBLIC for public RSA and PK_PRIVATE for private RSA
@param key     The RSA key to use
@return CRYPT_OK on success
*/
int (*rsa_me)(const unsigned char *in,  unsigned long inlen,
              unsigned char *out,  unsigned long *outlen, int which,
              rsa_key *key);
} ltc_math_descriptor;

```

Most of the functions are fairly straightforward and do not need documentation. We'll cover the basic conventions of the API and then explain the accelerated functions.

### 14.5.1 Conventions

All “bignums” are accessed through an opaque “void \*” data type. You must interally cast the pointer if you need to access members of your bignum structure. During the init calls a “void \*\*” will be passed where you allocate your structure and set the pointer then initialize the number to zero. During the deinit calls you must free the bignum as well as the structure you allocated to place it in.

All functions except the Montgomery reductions work from left to right with the arguments. For example, `mul(a, b, c)` computes  $c \leftarrow ab$ .

All functions (except where noted otherwise) return **CRYPT\_OK** to signify a successful operation. All error codes must be valid LibTomCrypt error codes.

The digit routines (including functions with the “i” suffix) use a “unsigned long” to represent the digit. If your internal digit is larger than this you must then partition your digits. Normally this does not matter as “unsigned long” will be the same size as your register size. Note that if your digit is smaller than an “unsigned long” that is also acceptable as the “bits\_per\_digit” parameter will specify this.

### 14.5.2 ECC Functions

The ECC system in LibTomCrypt is based off of the NIST recommended curves over  $GF(p)$  and is used to implement EC-DSA and EC-DH. The ECC functions work with the **ecc\_point** structure and assume the points are stored in Jacobian projective format.

```
/** A point on a ECC curve, stored in Jacobian format such
 *  that (x,y,z) => (x/z^2, y/z^3, 1) when interpreted as affine */
typedef struct {
    /** The x co-ordinate */
    void *x;
    /** The y co-ordinate */
    void *y;
    /** The z co-ordinate */
    void *z;
} ecc_point;
```

All ECC functions must use this mapping system. The only exception is when you remap all three ECC callbacks which will allow you to have more control over how the ECC math will be implemented. Out of the box you only have three parameters per point to use  $(x, y, z)$  however, these are just void pointers. They could point to anything you want. The only further exception is the `ecc_export()` function which expects the values to be in affine format.

#### Point Multiply

This will multiply the point  $G$  by the scalar  $k$  and store the result in the point  $R$ . The value should be mapped to affine only if *map* is set to one.

### Point Addition

This will add the point  $P$  to the point  $Q$  and store it in the point  $R$ . The  $mp$  parameter is the “b” value from the `montgomery_setup()` call. The input points may be in either affine (with  $z = 1$ ) or projective format and the output point is always projective.

### Point Mapping

This will map the point  $P$  back from projective to affine. The output point  $P$  must be of the form  $(x, y, 1)$ .

#### 14.5.3 RSA Functions

The RSA Modular Exponentiation (ME) function is used by the RSA API to perform exponentiations for private and public key operations. In particular for private key operations it uses the CRT approach to lower the time required. It is passed an RSA key with the following format.

```
/** RSA PKCS style key */
typedef struct Rsa_key {
    /** Type of key, PK_PRIVATE or PK_PUBLIC */
    int type;
    /** The public exponent */
    void *e;
    /** The private exponent */
    void *d;
    /** The modulus */
    void *N;
    /** The p factor of N */
    void *p;
    /** The q factor of N */
    void *q;
    /** The 1/q mod p CRT param */
    void *qP;
    /** The d mod (p - 1) CRT param */
    void *dP;
    /** The d mod (q - 1) CRT param */
    void *dQ;
} rsa_key;
```

The call reads the “in” buffer as an unsigned char array in big endian format. Then it performs the exponentiation and stores the output in big endian format to the “out” buffer. The output must be zero padded (leading bytes) so that the length of the output matches the length of the modulus (in bytes). For example, for RSA-1024 the output is always 128 bytes regardless of how small the numerical value of the exponentiation is.

Since the function is given the entire RSA key (for private keys only) CRT is possible as prescribed in the PKCS #1 v2.1 specification.

# Index

- , 40
- AR, 95
- base64\_decode(), 89
- base64\_encode(), 89
- BSWAP, 14
- CBC Mode, 25
- CBC mode, 24
- cbc\_decrypt(), 26
- cbc\_done(), 27
- cbc\_encrypt(), 26
- cbc\_getiv(), 26
- cbc\_setiv(), 26
- cbc\_start(), 25
- CC, 95
- ccm\_memory(), 34
- ccm\_test(), 34
- CFB Mode, 25
- CFB mode, 24
- cfb\_decrypt(), 26
- cfb\_done(), 27
- cfb\_encrypt(), 26
- cfb\_getiv(), 26
- cfb\_setiv(), 26
- cfb\_start(), 25
- chc\_register(), 43
- Cipher Decrypt, 17
- Cipher Descriptor, 20
- Cipher descriptor table, 21
- Cipher Encrypt, 17
- Cipher Hash Construction, 43
- Cipher Setup, 17
- Cipher Testing, 18
- CRYPT\_ERROR, 13
- CRYPT\_OK, 13
- CTR Mode, 25
- CTR mode, 24
- ctr\_decrypt(), 26
- ctr\_done(), 27
- ctr\_encrypt(), 26
- ctr\_getiv(), 26
- ctr\_setiv(), 26
- ctr\_start(), 25
- DATADIR, 96
- der\_decode\_bit\_string(), 82
- der\_decode\_choice(), 85
- der\_decode\_ia5\_string(), 83
- der\_decode\_integer(), 82
- der\_decode\_object\_identifier(), 83
- der\_decode\_octet\_string(), 83
- der\_decode\_printable\_string(), 84
- der\_decode\_sequence(), 81
- der\_decode\_sequence\_flexi(), 85
- der\_decode\_sequence\_multi(), 81
- der\_decode\_short\_integer(), 82
- der\_decode\_utctime(), 84
- der\_encode\_bit\_string(), 82
- der\_encode\_ia5\_string(), 83
- der\_encode\_integer(), 82
- der\_encode\_object\_identifier(), 83
- der\_encode\_octet\_string(), 83
- der\_encode\_printable\_string(), 84
- der\_encode\_sequence(), 80
- der\_encode\_sequence\_multi(), 81
- der\_encode\_short\_integer(), 82
- der\_encode\_utctime(), 84
- der\_length\_bit\_string(), 82
- der\_length\_ia5\_string(), 83
- der\_length\_integer(), 82
- der\_length\_object\_identifier(), 83
- der\_length\_octet\_string(), 83
- der\_length\_printable\_string(), 84
- der\_length\_sequence(), 81
- der\_length\_short\_integer(), 82
- der\_length\_utctime(), 84
- der\_sequence\_free(), 86
- DESTDIR, 96
- dsa\_decrypt\_key(), 76
- dsa\_encrypt\_key(), 76

dsa\_export(), 76  
dsa\_free(), 74  
dsa\_import(), 77  
dsa\_sign\_hash(), 75  
dsa\_verify\_hash(), 76  
dsa\_verify\_key(), 75

eax\_addheader(), 30  
eax\_decrypt(), 30  
eax\_decrypt\_verify\_memory, 31  
eax\_done(), 30  
eax\_encrypt(), 30  
eax\_encrypt\_authenticate\_memory, 31  
eax\_init(), 29  
eax\_test(), 30  
ECB mode, 24  
ecb\_decrypt(), 26  
ecb\_done(), 27  
ecb\_encrypt(), 26  
ecb\_start(), 25

ecc\_decrypt\_key(), 71  
ecc\_encrypt\_key(), 71  
ecc\_export(), 70  
ecc\_free(), 70  
ecc\_import(), 70  
ecc\_make\_key(), 70  
ecc\_shared\_secret(), 71  
ecc\_sign\_hash(), 72  
ecc\_verify\_hash(), 72  
error\_to\_string(), 13  
EXTRALIBS, 97

find\_cipher(), 22, 106  
find\_hash(), 40  
find\_prng(), 55

gcm\_add\_aad(), 35  
gcm\_add\_iv(), 35  
gcm\_done(), 36  
gcm\_init(), 35  
gcm\_memory(), 36  
gcm\_process(), 36  
gcm\_reset(), 36

Hash descriptor table, 42  
Hash Functions, 39  
hash\_file(), 41  
hash\_memory(), 41  
hmac\_done(), 45  
hmac\_file(), 46

hmac\_init(), 45  
hmac\_memory(), 46  
hmac\_process(), 45  
hmac\_test(), 46

IGNORE\_SPEED, 96  
INCPATH, 96

LIBNAME, 96  
LIBNAME\_S, 96  
LIBPATH, 96  
LIBTEST, 96  
LIBTEST\_S, 96  
LOAD32H, 14  
LOAD32L, 14  
LOAD64H, 14  
LOAD64L, 14  
ltc\_asn1\_list structure, 79  
LTC\_SET ASN1 macro, 79  
LTM\_DESC, 101

MAKE, 95  
Message Digest, 39

ocb\_decrypt(), 32  
ocb\_decrypt\_verify\_memory(), 33  
ocb\_done\_decrypt(), 33  
ocb\_done\_encrypt(), 33  
ocb\_encrypt(), 32  
ocb\_encrypt\_authenticate\_memory(), 33  
ocb\_init(), 32  
OFB Mode, 25  
OFB mode, 25  
ofb\_decrypt(), 26  
ofb\_done(), 27  
ofb\_encrypt(), 26  
ofb\_getiv(), 26  
ofb\_setiv(), 26  
ofb\_start(), 25  
omac\_done(), 48  
omac\_file(), 48  
omac\_init(), 47  
omac\_memory(), 48  
omac\_process(), 47  
omac\_test(), 48

pelican\_done(), 51  
pelican\_init(), 51  
pelican\_process(), 51  
PK\_PRIVATE, 64  
PK\_PUBLIC, 64

PKCS #5, 86  
pkcs\_1\_oaep\_decode(), 62  
pkcs\_1\_oaep\_encode(), 61  
pkcs\_1\_pss\_decode(), 63  
pkcs\_1\_pss\_encode(), 62  
pkcs\_5\_alg1(), 86  
pkcs\_5\_alg2(), 87  
pmac\_done(), 50  
pmac\_file(), 50  
pmac\_init(), 49  
pmac\_memory(), 50  
pmac\_process(), 50  
pmac\_test(), 50  
Primality Testing, 89  
PRNG, 15  
PRNG add\_entropy, 53  
PRNG Descriptor, 55  
PRNG done, 53  
PRNG export, 54  
PRNG import, 54  
PRNG read, 53  
PRNG ready, 53  
PRNG start, 53  
PRNG test, 54  
Pseudo Random Number Generator, 15  
  
register\_cipher(), 23  
register\_hash(), 42  
rng\_get\_bytes(), 58  
rng\_make\_prng(), 58  
ROL, 14  
ROL64, 14  
ROL64c, 14  
ROLc, 14  
ROR, 14  
ROR64, 14  
ROR64c, 14  
RORc, 14  
rsa\_decrypt\_key(), 65  
rsa\_encrypt\_key(), 65  
rsa\_export(), 67  
rsa\_exptmod(), 64  
rsa\_import(), 67  
rsa\_make\_key(), 64  
rsa\_sign\_hash(), 65  
rsa\_verify\_hash(), 65  
  
Secure RNG, 58  
STORE32H, 14  
STORE32L, 14  
STORE64H, 14  
STORE64L, 14  
Symmetric Keys, 20  
TFM\_DESC, 101  
Twofish build options, 22  
unregister\_cipher(), 23  
unregister\_hash(), 42  
USE\_LTM, 101  
USE\_TFM, 101